1997 DODGE/CHRYSLER VIPER (SR)









Jeep

CHRYSLER • PLYMOUTH • DODGE • JEEP

THE MOPAR DIFFERENCE

VIN PLATE DECODING INFORMATION

1 2 3 4 5 6 7 8 9 10 11 12 thru 17


Country Make Vehicle Other Line Series Body Style Engine Check Model Assy. Type Style Digit Year Plant


The following table interprets the VIN Plate positions shown above.

Position	Interpretation	Codes = Description
1	Country of Origin	1 = Built in U.S. by DaimlerChrysler Corporation
2	Make	C = Chrysler B = Dodge
3	Vehicle type	3 = Passenger Car
4	Pass. Safety	E = Restraint System Active Driver & Passenger Air Bag (CGW)
5	Vehicle Line	R = Viper R/T-10 R = Viper GTS
6	Series	6 = Viper RT/10 (D-S27) 6 = Viper GTS-Coupe (D-S29
7	Body Style	5 = Convertible - Open Body 9 = 2 Door Specialty Coupe
8	Engine	E = 8.0L V10 SFI (EWB)
9	Check Digit	
10	Model Year	V = 1997, W = 1998
11	Assembly Plant	V = New Mack Development Center
12 thru 17	Vehicle Build Sequence	Model Year Assembly Sequence

Group – 002


Front Suspension & Drive






GROUP 2 - Front Suspension & Drive

Illustration Title	Group-Fig. No.
Front Suspension	
Cuppopolon Front	Fig. 002 110



Suspension, Front Figure 002-110



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
29	4642 056	4							SHIM, Control Arm, Front Adjusting
30	4709 323	4							BOLT, Control Arm Cam, Lower
31	6502 136	2							BOLT, Hex Flange Head, M10x1.
									50x55
32	4848 050	2							BUSHING, Control Arm
33									BALL JOINT, Lower Control Arm,
									Serviced with Control Arm, (NOT
									SERVICED) (Not Serviced)
34									BRACKET, Shock Mounting
	4709 298	1							Right
	4709 299	1							Left
35									BOLT, M10x1.50x65.00 [Not Serv.],
									(NOT SERVICED) (Not Serviced)
36	6502 696	3							NUT, Hex Flange Lock, M10x1.5,
									M10x1.50
-37	5012 650AA-	2							BUSHING, Shock Absorber

 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE


 S = RT/10
 D = Dod


 S = GTS Coupe
 X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Group – 003 Rear Axle






GROUP 3 - Rear Axle


Illustration Title	Group-Fig. No
Rear Axle	
Differential Assembly, Rear	Fig. 003-110
Differential and Housing	
Differential Assembly, Rear	Fig. 003-205
Rear Axle Shafts	
Shaft, Rear Axle	Fig. 003-405


Differential Assembly, Rear Figure 003-110

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	NOMBER	<u> </u>	LINE	JENIEG	B05.	LIVOITE	IIIAIIO	1111111	DEGOM: NO.
1	4763 897AB	1							DIFFERENTIAL, Rear Axle, Rear
									Complete 3.0 Ratio
DODGE CH	RYSLER VIPER (S	SR)							
SERIES S = RT/10	LINE D =	E Dodge	BODY 27 = Co	onvertible	ENGINE EWB = 8	3.0L 10 Cvl. S	SFI DE	RANSMIS C = 6 Sp	SION peed Manual Manual
S = GTS Co X = GTS/Le	oupe mans		29 = Co	upe	EW0 = F	All 8.0L Gas	DE	BB = All N	Manual



Differential Assembly, Rear Figure 003-110






Group – 004 Parking Brake




Illustration Title Group-Fig. No. **Parking Brake Lever and Cables** Lever Assembly And Cables Parking Brake Fig. 004-110



004–100 Parking Brake Lever and Cables		

Lever Assembly And Cables Parking Brake Figure 004-110



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									LEVER, Park Brake
	PS53 1KA	1			27				Carmel Tan
	PS53 SB4	1			27				Bright Blue
		1			29				Bright Blue
	PS53 1KA	1			29				Carmel Tan
	PS53 SX9	1			27				Flat Black
		1			29				Flat Black
	PS53 SR1	1			29				Red
2	4763 181	2							CABLE, Parking Brake
3	6035 135	2							SCREW, .250-14x.875
4	6100 575	2							BOLT AND CONED WASHER, Hex
									Head, M8x25x17
5									CLIP, (Serviced in Item #2) ***, (NOT
									SERVICED) (Not Serviced)
6	6101 445	2							NUT AND WASHER, Hex Nut-Coned
									Washer, M8 x 1.25
								•	

 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE


 S = RT/10
 D = Dod

 S = GTS Coupe
 X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas


Group – 005 Service Brakes





005–100 Front Brakes	005–200 Rear Brakes	005–300 Power Brake Booster	005–400 Brake Master Cylinder
005–500 Brake Lines and Hoses	005–600 Brake Pedals		
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0			

GROUP 5 - Service Brakes

Illustration Title	Group-Fig. N
Front Brakes	
Brakes, Front	Fig. 005-110
Rear Brakes	
Brakes, Rear	Fig. 005-210
Power Brake Booster	
Booster, Power Brake	Fig. 005-310
Brake Master Cylinder	
Master Cylinder, Brake	Fig. 005-410
Brake Lines and Hoses	
Lines And Hoses, Brake	Fig. 005-510
Brake Pedals	
Pedal, Brake	Fig. 005-610








DODGE CHRYSLER VIPER (SR) **SERIES**


S = RT/10S = GTS Coupe X = GTS/Lemans D = Dodge

BODY 27 = Convertible 29 = Coupe

ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4848 716	1							HUB AND BEARING, Brake
2	4642 353	2							ROTOR, Brake, Rear Brake Vented
3									KNUCKLE, Rear
	4709 281	1							Left
	4709 282	1							Right
4									CALIPER, Disc Brake
	4723 606	1							Right
	4723 607	1							Left
-5	4897 219AA-	1							PAD KIT, Rear Disc Brake, with Pin
									and Clip Package
6	4720 990	1							BLEEDER SCREW PKG, BRAKE
7	3420 2857	2							SCREW, Socket Head, M8x1.25x60,
									Caliper Mounting
8	3420 2858	2							BOLT, Hex Head, M10x1.25x80,
									Caliper Mounting
9	6033 702	6							BOLT, D Head, .50-20x2.00
10	6035 642	4							SCREW AND WASHER, Hex Head
									Locking, .50-20x2.25 Grade 8
11	6500 336	2							PIN, Cotter, M5x36.00
12	4293 167	2							NUT AND WASHER PACKAGE,
									Front Hub
13	6502 294	1							NUT, Hex Flange, M22x1.25, (Axle
									Shaft Hub)
14	6502 293	2							WASHER, Flat, M23x43x4
-15	4723 459	1							PLATE, Brake Torque



 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE

 S = RT/10
 D = Dod

 S = GTS Coupe
 X = GTS/Lemans

D = Dodge


BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Booster, Power Brake Figure 005-310

3	
9	4
8	


	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	ode EWB= 8.0		FI						
1	4763 952	1							BOOSTER, Power Brake
-2	4723 640	AR							GROMMET, Brake Booster Check
	4700 004								Valve
3	4723 391	1							VALVE, Brake Booster Check
4	6101 445	2							NUT AND WASHER, Hex Nut-Cor
_	1004 150								Washer, M8 x 1.25
5	4294 158	1							BOOT, Brake Booster Push Rod
6 7	4723 642	AR 1							SEAL, Brake Booster To Dash
/	4723 395	1							GASKET, Brake Master Cylinder,
0	6500 504	4							Cyl. to Booster NUT, Hex Lock, M8x1.25
8	6502 524	1							
9	4848 345	1							HOSE, Vacuum Supply, 11/32 rou
									stock
_									
DGE CH	RYSLER VIPER (SR)							
RIES	RYSLER VIPER (E	BODY		ENGINE			RANSMIS	
RIES = RT/10	LIN D =		27 = Coi		EWB = 8	.0L 10 Cyl. SI	FI DE	C = 6 S	peed Manual
RIES	LIN D =	E			EWB = 8	.0L 10 Cyl. SI	FI DE		peed Manual

Master Cylinder, Brake Figure 005-410



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	1.101110111	_ <u>~.</u> .,	-111-	0211120	1 2001		AIIO	1	l beddin Hon
1	4722 204	4							PIN, Master Cylinder Reservoir
	4723 394 4642 548	1 1							MASTER CYLINDER, Brake
	4723 389	1							GROMMET, Master Cylinder
									Reservoir
4	4723 387	AR							RESERVOIR, Brake Master Cylinder
5	4294 036	1							CLIP, M/Cyl. Push Rod
DODGE GUD	VOLED VIDED "	:D\							
SERIES	YSLER VIPER (S LINE		BODY		ENGINE		TI	RANSMIS	SION
S = RT/10 S = GTS Co	D =	Dodge	27 = Co 29 = Co	nvertible	EWB = 8	.0L 10 Cyl. S All 8.0L Gas	FI D	EC = 6 S BB = All I	peed Manual Manual
X = GTS/Ler	nans		20 - 00	ωpo	_ VVO - F	0.0L Gas	D	- VII I	manaal

Lines And Hoses, Brake Figure 005-510



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	1843 251	1							TUBE, Steel, .187 25 Foot Roll, Roll
									Stock
2	2207 919	1							CLIP, Parking Brake Cable, Front
									Brake Tube
3									HOSE, Front Wheel Disc
	4763 154	1							Right
	4763 155	1							Left
4	6502 114	8							WASHER, Brake Hose, to Caliper
5	6503 805	4							BOLT, Hex Head, M10x1.0x21.75,
									Brake Hose to Caliper
6	6100 575	1							BOLT AND CONED WASHER, Hex
									Head, M8x25x17
7	6034 881	1							NUT, Inverted Flare, .375-24
8	6035 135	2							SCREW, .250-14x.875
9	3404 625	1							CLIP, Tube, Front Brake Tubes
10	4848 445	1							TUBE, Brake, M/Cyl. to Prop. Valve,
									Primary
11	4848 443	1							TUBE, Brake, M/Cyl. to Prop. Valve,
									Secondary
12	4848 532AB	1							VALVE, Proportioning
13	6034 862	1							NUT, Inverted Flare, .50-20x.625,
									Brake Tube to Valve
14	6100 151	1							BOLT, Hex Head, M8x14, Valve and
									Bracket Mounting
-15	6100 047	1							NUT AND WASHER, Hex Nut-Coned
									Washer, M6 x 1.00, Valve Mountin
									Bolt
16	5201 7741	5							CLIP, Fuel Bundle, Brake and Fuel
									Tubes
17	4683 653	2							CLIP, Tube, Rear Brake Tube
18	4709 068	AR							TUBE, Brake, Rear Brake
19	1141 472	1							TEE, Brake Tube, Front to Rear
									Brake Tubes
20									HOSE, Brake
	4642 230	1							Right
	4642 231	1							Left
21	6502 746	2							SCREW AND WASHER, Hex Head
									Header Point, M10x1x14, Brake
									Hose Bracket to Caliper(Rea r) ***

 DODGE CHRYSLER VIPER (SR)


 SERIES
 LINE

 S = RT/10
 D = Dod

 S = GTS Coupe
 X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	-								
1	4763 022AB	1							PEDAL, Brake, Clutch, and
									Accelerator, Brake
2	4294 036	1							CLIP, M/Cylinder Push Rod to Pedal
3	6101 467	2							NUT, Hex Flange, M8x1.25
4	4897 163AA	1							KNOB, BRAKE AND CLUTCH,
									ADJUSTING, Pedal Adjusting
5	6100 516	2							NUT, Hex Flange Lock, M6
									Phosphate, M6x1.00
6									WASHER, (NOT SERVICED) (Not
									Serviced)
7	4708 285	2							PAD, Brake Pedal

 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE


 S = RT/10
 D = Dod


 S = GTS Coupe
 X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Group – 006 Clutch






GROUP 6 - Clutch

Illustration Title	Group-Fig. No
Clutch	
Clutch, (EWB)	Fig. 006-110
Clutch Housing	
Clutch Housing	Fig. 006-210
Clutch Controls	
Clutch Actuation System	Fig. 006-310
Clutch Pedals	
Clutch Pedal	Fig. 006-410

	ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		'		1		ı	1	1		_
	NOTE; E	EWB = 8.0L V1 4848 708AC					EWB			PLATE, Clutch Pressure, Plate and
	2	6034 555	8				EWB			Disc, Clutch SCREW, Flange Head, .312-18x1. 125
000										
000000000000000000000000000000000000000										
So the last of the										
a a a a a a a a a a a a a a a a a a a										
	DODGE CH SERIES S = RT/10	IRYSLER VIPER (S LINE D =	SR) E Dodge	BODY 27 = Co	onvertible oupe	ENGINE EWB = 8	.0L 10 Cyl. S \ll 8.0L Gas	TR SFI DE	RANSMISS EC = 6 Sp	SION peed Manual Manual
	S = RT/10 S = GTS Co X = GTS/Le	oupe emans	-	29 = Co	oupe	EW0 = A	All 8.0L Gas	DE	BB = All M	Manual




	PART	!							
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	DEC - 6 Spd Ma		rans						MONORIO OLIGA
1	4626 594 4642 581	1					DEC		HOUSING, Clutch
2	4642 581	1							BEARING, Clutch Release, Clutch Concentric Slave
3	0181 148	2							SCREW, Hex Head, .437-14x2.75,
<u> </u>	0101 140								Trans. to Engine Att437-14x2.75,
4	0153 371	4							BOLT, Hex Head, .375-16x2.25,
7	0100 07 1	7							Trans. to Engine Att375-16x2.25,
5	5245 010	1							COVER, Transmission Dust, Clutch
	<u> </u>								Housing
6	6023 092	4							SCREW AND WASHER, Hex Hea
Č	0020 00_	•							.25-20x.50, (.250-20x5.00)
7	6100 296	2							BOLT, Hex Head, (M8x1.25x25.00)
8	9417 838	2							WASHER, Flat, ID .484 OD 890 TI
C	J.11. J.J.	_							.0710
			_	_					
)DGE CHI	IRYSLER VIPER (S								
ERIES	LINE	E	BODY	artible	ENGINE FWR - 8	21 40 Cyl 9		RANSMIS	
ODGE CHI ERIES = RT/10 = GTS Cc	LINE D =			onvertible	EWB = 8	.0L 10 Cyl. S	FI DE		peed Manual

Clutch Actuation System Figure 006-310

	ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		4642 666 4643 448	<u>1</u> 1							ACTUATOR, Hydraulic Clutch BUSHING, Hydraulic Clutch Actuator, Self Retaining
2										
	DODGE CHF	RYSLER VIPER (S	SR) -							
	SERIES S = RT/10 S = GTS Co X = GTS/Le	RYSLER VIPER (S LINE D = upe mans	E Dodge	BODY 27 = Cor 29 = Cor	nvertible upe	ENGINE EWB = 8. EW0 = A	0L 10 Cyl. S ll 8.0L Gas	TR FI DE DB	ANSMISS C = 6 Sp B = All M	SION leed Manual fanual

Clutch Pedal Figure 006-410

		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
_	1	4763 022AB	1							PEDAL, Brake, Clutch, and
_										Accelerator
	2	4708 285	2							PAD, Brake Pedal



 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE

 S = RT/10
 D = Dod


 S = GTS Coupe
 X = GTS/Lemans

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

TRANSMISSION DEC = 6 Speed Manual DBB = All Manual

D = Dodge

Group – 007 Cooling




007–100 Radiator and Related Parts	007–200 Water Pump and Related Parts	007–300 Tank, Coolant Engine	007–400 Pulleys and Related Parts
007–500 Drive Belts	007–600 Lines, Transmission Oil Cooler		

GROUP 7 - Cooling

Illustration Title	Group-Fig. No
Radiator and Related Parts Radiator And Related Parts Radiator Air Baffles	Fig. 007-110 Fig. 007-120
Water Pump and Related Parts Water Pump And Related Parts	Fig. 007-210
Tank, Coolant Engine Coolant Reserve And Pressurized Coolant Tank	Fig. 007-310
Pulleys and Related Parts Pulleys, Drive	Fig. 007-410
Drive Belts Belts, Drive	Fig. 007-510
Lines, Transmission Oil Cooler Oil Cooler And Lines	Fig 007-610

Radiator And Related Parts Figure 007-110

PART



ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE:									
Sales Co	ados:								
	3.0L V10 SFI								
1	6032 277	2							CLAMP, Radiator, Hose
2	4763 584	1							HOSE, Coolant Reserve Tank, C
	4700 004	'							to Water Pump
3	4763 585	1							HOSE, Coolant Reserve Tank,
3	4703 303	'							Thermostat to Inlet
4	5200 6750	2							CLAMP, Radiator
_ 5	4709 352	1							SHROUD, Fan, Radiator
-6	4700 002	'							BRACKET, Bulkhead
O	4709 356	1							Right
	4709 357	1							Left
-7	4709 366	AR							SHIM, Radiator, Support Lower
8	4855 123	1							RADIATOR, Engine Cooling
-9	4266 328	2							ISOLATOR, Radiator, Lower
-10	4596 198	1							CAP, Pressurized Coolant, Radia
11	3420 1358	2							NUT AND WASHER, Hex Nut-
									Sealing Washer, M6 x 1.00
12									SHIELD, Radiator, , Splash, Serv
									in Fan Module, (NOT SERVICE
									(Not Serviced)
13	4848 630	1							FAN MODULE, Radiator Cooling
14	3420 1358	6							NUT AND WASHER, Hex Nut-
									Sealing Washer, M6 x 1.00
15	5304 1078	1				EWB			THERMOSTAT, 195 Degrees
-16	4763 839	1				EWB			GASKET, Thermostat, Thermosta
-17	4763 779	1				EWB			HOUSING, Thermostat
-18	5245 575	1				EWB			NIPPLE, Heater Return, Water
									Return
19	4848 199	2							RETAINER, Radiator Closure,
									Radiator Closure
20	4763 564	AR							SHIM
21	4763 565	AR							SHIM

 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE

 S = RT/10
 D = Dod


 S = GTS Coupe
 X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Radiator Air Baffles Figure 007-120

PART



ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE:									
Sales Co	odes:								
EWB = 8	3.0L V10 SFI								
1	4848 675	1							BAFFLE, Radiator, Upper Left Air
2	6029 074	1							U-NUT, .25-20
3	6100 545	10							SCREW AND WASHER, Hex Head
									M5x.8x25
4	4848 763	1							COVER, Baffle Air Upper, Upper Ai
									Baffle
5	4709 361	1							DUCT, Air Filter To Baffle, Air Filter
									to Baffle
6	4848 198	2							BRACKET, Radiator, Radiator
7	6501 067	4							PIN, Push, M6.3x20.5, Baffle Att.
8	4848 737	1							BAFFLE, Radiator, Lower Air
9	6502 689	2							RIVET, M4.9x16.50
10	6031 321	2							PIN, Retainer, Push
11	4848 675	1							BAFFLE, Radiator, Upper Right Air

DODGE CHRYSLER VIPER (SR) SERIES LINE


S = RT/10 S = GTS Coupe X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe

ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Water Pump And Related Parts Figure 007-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
								l	
IOTE:									
ales Co									
WB = 8	3.0L V10 SFI								
1	4763 776AB	1				EWB			PUMP, Water, Water
-2	4763 790	1				EWB			GASKET, Water Pump, Pump
3									HUB, Water Pump Pulley, (NOT SERVICED) (Not Serviced)
4	5301 0221	1				EWB			PULLEY, Water Pump, Pump
		1							
5	6034 530	4				EWB			SCREW, Hex Head, .312-18x.75,
6	6035 558	5				EWB			Pulley Att. SCREW, Hex Flange Head, .375- 16x1.50, Pump Att.

 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE


 S = RT/10
 D = Dod

 S = GTS Coupe
 X = GTS/Lemans


D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas


Coolant Reserve And Pressurized Coolant Tank Figure 007-310



	PART	_							
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE:									
Sales Co	ndes:								
	3.0L V10 SFI								
1	4682 828	1							CAP, Coolant Reserve Tank, Reserve Tank
2	5202 7784	1							TANK, Coolant Reserve, Coolant Reserve
3									U-NUT, (NOT SERVICED) (Not Serviced)
4	6502 018	2							CLAMP, Hose, M28.9 x 1.60
5									SCREW, (NOT SERVICED) (Not Serviced)
6	5245 038	1							HOSE, Coolant Reserve Tank, Hi
									Pressure Coolant
7	4709 389	1							BOTTLE, Pressurized Coolant, Pressurized Coolant
8	4596 198	1							CAP, Pressurized Coolant, Tank
9	5245 039	1							TUBE, Coolant Reserve Tank, Lo Pressure Coolant
10	4709 381	2							CLIP, Hose
11	4592 126	2							CLAMP, Hose
12	4763 877	1				EWB			HOSE, Coolant Reserve Tank, Ta to Water Pump
SERIES S = RT/10	RYSLER VIPER (S LINE D = oupe		BODY 27 = Co 29 = Co	nvertible	ENGINE EWB = 8. EW0 = A	.0L 10 Cyl. S	SFI D	RANSMIS EC = 6 Sp BB = All N	peed Manual




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
IIEM	NUMBER	QIY	LINE	SERIES	RODA	ENGINE	IKANS	IRIM	DESCRIPTION
IOTE:									
Sales Co	des:								
WB = 8	3.0L V10 SFI								
1	5300 9508	1				EWB			PULLEY, Idler
2	5301 0222	1				EWB			PULLEY, Crankshaft, Drive
-3	3300 2201	1				EWB			BUSHING, Idler Pulley
4	4626 444	1				EWB			TENSIONER PACKAGE, Belt, Bel
5	6502 135	1				EWB			NUT, Hex Flange, M10x1.5, Tensioner Att.
6	5301 0222	1				EWB			PULLEY, Crankshaft, Water Pump
7	6034 530	4				EWB			SCREW, Hex Head, .312-18x.75
8	4763 863AB	1				EWB			BELT, Accessory Drive
-9	4763 934	1							LABEL, Belt Routing, Belt Routing



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
			•					•	
NOTE:									
Sales Cod	les: 0L V10 SFI								
	4763 863	1				EWB			BELT, Accessory Drive, Without A Conditioning
2	4763 795AB	1				EWB			BELT, A/C, Air Conditioning
DODGE CHR` SERIES S = RT/10 S = GTS Cou X = GTS/Lem	YSLER VIPER (S LINE D = I ipe	SR) - : Dodge	BODY 27 = Co 29 = Co	nvertible upe	ENGINE EWB = 8 EW0 = A	.0L 10 Cyl. S	FI D	RANSMIS EC = 6 S _I BB = All M	peed Manual

Oil Cooler And Lines Figure 007-610




		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
_	1	4848 310	1							LINE, Oil Cooler Inlet
_	2	4848 300	1							LINE, Oil Cooler Outlet
	3	4643 826	1							COOLER, Engine Oil
	4 5	6101 283	2 2							U-NUT, M8x1.25
-	<u> </u>	6100 296								BOLT, Hex Head
-										
_										
-										
_										
-										
_										
-										
_										


DODGE CHRYSLER VIPER (SR)
SERIES LINE
S = RT/10 D = Dodge
S = GTS Coupe
X = GTS/Lemans

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Group – 008


Electrical





Group – 008

Electrical



GROUP 8 - Electrical


Illustration Title	Group-Fig. No.
Starters Starter	Fig. 008-105
Alternators	Fig. 008-205
Modules Modules	Fig. 008-405
Relays Relays, Fuses, Circuit Beakers	Fig. 008-505
Sensors Sensors	Fig. 008-605
Single Board Engine Controllers Single Board Controllers Powertrain Control Module	Fig. 008-705
Switches Switches	Fig. 008-805
Horns Horns	Fig. 008-905
Battery Tray and Cables Battery Tray and Cables	Fig. 008-1005
Lamps - Front, Rear and Courtesy Lamps and Wiring - Front Lamps and Wiring - Rear	Fig. 008-1105 Fig. 008-1110
Wiring-Engine & Related Parts Wiring - Engine and Related Parts	Fig. 008-1205
Wiring - Headlamp to Dash	Fig. 008-1305
Wiring-Instrument Panel Wiring - Instrument Panel	Fig. 008-1405
Wiring-Body & Accessories Wiring - Body and Accessories	Fig. 008-1505
Wiring Repair Connector Repair Package	Fig. 008-1610
Spark Plugs-Cables-Coils Spark Plugs - Cables - Coil	Fig. 008-1905

Starter Figure 008-105


rl -	0	1

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
								•	
	L V10 SFI 4763 794	1				EWB			STARTER, Complete (Mtg. Screw
-2	6035 558	2				EWB			6034501) SCREW, Hex Flange Head, .375-
									16x1.50
									_
DODGE CHR SERIES S = RT/10 S = GTS Cou X = GTS/Len	ıpe	i R) - E Dodge	BODY 27 = Co 29 = Co	nvertible upe	ENGINE EWB = 8 EW0 = A	.0L 10 Cyl. S All 8.0L Gas	FI D	RANSMIS EC = 6 Sp BB = All N	peed Manual

Alternators Figure 008-205



		PART								
I	TEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
EV	VB= 8.0	L V10 SFI								
	1	4848 662	1				EWB			ALTERNATOR, Electrical, Complete
										(Generator) (Mounting Screw
										5245501)
	2									BRACKET, Alternator (Serviced w/
										COVER ASSEMBLY, Chain Case
										#4763731), (NOT SERVICED) (Not
										Serviced)
	3	4626 444	1				EWB			TENSIONER PACKAGE, Belt,
										Automatic (Mounting Nut 6502135)
	-4	4848 124	1				EWB			SPACER, Alternator, Alternator
										Bracket



 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE


 S = RT/10
 D = Dod

 S = GTS Coupe
 X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Modules Figure 008-405



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4672 271	1							MODULE, Daytime Running Lamp
2									SCREW, .250-14x.875, (NOT
									SERVICED) (Not Serviced)
3	MB62 SX4AB	1							AIR BAG, Passenger
4									SCREW, Round Head, .164-15x1.00,
									(NOT SERVICED) (Not Serviced)
5	4848 663	1			29				BEZEL, Security Indicator
6	4848 664	1			29				WIRING, LED Security
7	4848 291	1							MODULE, Wiper
8	4848 290	1							STRAP, Module Mounting
9	4848 802AB	1							MODULE, Air Bag Control
10	4709 109	1							BOX, Antenna Amplifier
11									SCREW, Tapping, .19-16x1.75,
									(NOT SERVICED) (Not Serviced)
12	LB45 JX8	1							AIR BAG, Driver
13	5266 269	1							CHIME, Warning
14									MODULE, Keyless Entry Receiver
	4848 148AC	1							Export
	4848 832	1							
15	4848 290	1							STRAP, Module Mounting
16									TRANSMITTER, Keyless Entry
	4848 151	2							Export
	5245 289	AR							
-17	5245 299AB-	1							MODULE, Lighting Control,
									Instrument Panel lamp dimmer

 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE

 S = RT/10
 D = Dod

 S = GTS Coupe
 X = GTS/Lemans


D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Relays, Fuses, Circuit Beakers Figure 008-505

1 4440 190 1 20 RELAY, Decreas From Pump 2 2099 55 1 20 RELAY, Decreas Tree Deby Pensive Pressure -1 3 4080 8794-4 3 20 RELAY, Decreas Paring -1 5 4071 160 0 RELAY, Decreas Paring -1 5 4071 160 0 RELAY, Min. Plays-1-5T -1 6 4414 339 1 29 DECAME, Creas -1 6 4414 339 1 29 DECAME, Creas -1 6 4414 339 1 20 DECAME, Creas -1 7 10 10 DECAME, Creas -1 7 10 10 DECAME, Creas -1 7 1	ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
2 / 2988 8593 4 2 29 REAVE Reducts (Line Delay) Passes Reducts 4 6508 5184 1 29 REAVE BASSON 4 4071 108 8 RELAY (Mark Page 15) 4 4471 108 8 RELAY (Mark Page 15) 4 4414 333 1 29 BREAVER, Circuit 3 5000 5146 2 29 RELAY (Mark Page 15) 5 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7		· ·							1	
3. 4449 873-AA. 2 PELAY, Electrical, Residence Fair Pelay, Min. Plug-in 6T PINS-BASCR, Cartinal PINS-BASCR, Cart	2					29				RELAY, Electrical, Time Delay,
## 5000 61440 1 29 RELAY, Hendroth Raps Window 4 4071 108 8 RELAY, Min. Pugin 6T	-3	4848 879AA-	3							
-5 4671 108 8 RELAY, Min, Plug in ST BREAKER. Circuit -6 4114 333 1 29 BREAKER. Circuit	-4					29				RELAY, Electrical, Heated Rear
DOOGE CHRYSLER WERE (SR) SETTER UNE SETTER U	_					00				RELAY, Mini, Plug-in 5T
DODGE CHRYSLER VIPER (SR) SERIES LINE BOOY ENGUE TRANSMISSION SERIES LINE SERI	-6	4414 333	1			29				BREAKER, Circuit
DODGE CHRYSLER VIPER (ISN SERIES UNE BODY ENGINE TRANSMISSION SERIES UNE BODY ENGINE TRANSMISSION SERIES UNE BODY ENGINE FAMIL 10 Oct SP1 PEG of Several Manual										
DODGE CHRYSLER VIPER (ISN SERIES UNE BODY ENGINE TRANSMISSION SERIES UNE BODY ENGINE TRANSMISSION SERIES UNE BODY ENGINE FAMIL 10 Oct SP1 PEG of Several Manual										
DODGE CHRYSLER VIPER (SR) SERIES LINE BOOY ENGUE TRANSMISSION SERIES LINE SERI										
DODGE CHRYSLER VIPER (ISN SERIES UNE STOCKE TRANSMISSION SERIES UNE STOCKE FINGLE FINGLE FINGLE FOR Several formula										
DODGE CHRYSLER VIPER (RS) SOLVE SOLVE TRANSMISSION										
Dobote CHRYSLER VIPER, (8N) SERIES										
Dobge Chrysler viper (8r) Skriks BODY ENGINE TRANSMISSION Skriks Skrik										
DODGE CHRYSLER VIPER (SR) SERIES SERIES LINE S = RT/10 D = Dodge Z 7 = Convertible S = GTS Coupe S = GCoupe EVO = All Sol. Gos DBB = All Manual X = GTS Coupe S = Coupe EVO = All Sol. Gos DBB = All Manual										
DODGE CHRYSLER VIPER (SR) SERILES SERTING S = RTY10 D = Dodge Z = Convertible EWB = 8.0L \text{ Tr.AANSMISSION} DEC = 6 Speed Manual DBB = All Manual VI S = CTS Coupe} X = CTS Coupe Z = Coupe Z = Coupe EWD = All 8.0L \text{ Gas} DBB = All Manual VI S = CTS Coupe} X = CTS Coupe Z = Coupe EWD = All 8.0L \text{ Tr.AANSMISSION} DEC = 6 Speed Manual DBB = All Manual VI S = CTS Coupe}										
DODGE CHRYSLER VIPER (SR)										
DODGE CHRYSLER VIPER (SR)										
DODGE CHRYSLER VIPER (SR) SERIES SERIES S = RT/10 S = RT/20 S = Coupe S = Coupe EW0 = All 8.0L Gas DBB = All Manual X = GTS/Lemans										
DODGE CHRYSLER VIPER (SR) SERIES LINE BODY ENGINE TRANSMISSION S = RT/10 D = Dodge 27 = Convertible EWB = 8.0L 10 Cyl, SFI DEC = 6 Speed Manual S = GTS Coupe 29 = Coupe EWO = All 8.0L Gas DBB = All Manual										
DODGE CHRYSLER VIPER (SR) SERIES LINE S = RT/10 D = Dodge S = GTS Coupe S = GTS Coupe X = GTS/Lemans S = GTS/Lemans BODY ENGINE TRANSMISSION TRANSMISSION DEC = 6 Speed Manual DBB = All 8.0L Gas DBB = All Manual										
DODGE CHRYSLER VIPER (SR) SERIES LINE BODY ENGINE TRANSMISSION S = RT/10 D = Dodge 27 = Convertible EWB = 8.0L 10 Cyl. SFI DEC = 6 Speed Manual S = GTS/Lemans 29 = Coupe EW0 = All 8.0L Gas DBB = All Manual										
DODGE CHRYSLER VIPER (SR) SERIES LINE BODY ENGINE TRANSMISSION S = RT710 D = Dodge 27 = Convertible EWB = 8.0L 10 Cyl. SFI DEC = 6 Speed Manual S = GTS Coupe EW0 = All 8.0L Gas DBB = All Manual X = GTS/Lemans										
DODGE CHRYSLER VIPER (SR) SERIES LINE BODY ENGINE TRANSMISSION S = RT/10 D = Dodge 27 = Convertible EWB = 8.0L 10 Cyl. SFI DEC = 6 Speed Manual S = GTS Coupe 29 = Coupe EW0 = All 8.0L Gas DBB = All Manual X = GTS/Lemans										
DODGE CHRYSLER VIPER (SR) SERIES LINE BODY ENGINE TRANSMISSION S = RT/10 D = Dodge 27 = Convertible EWB = 8.0L 10 Cyl. SFI DEC = 6 Speed Manual S = GTS Coupe 29 = Coupe EW0 = All 8.0L Gas DBB = All Manual X = GTS/Lemans										
DODGE CHRYSLER VIPER (SR) SERIES LINE BODY ENGINE TRANSMISSION S = RT/10 D = Dodge 27 = Convertible EWB = 8.0L 10 Cyl. SFI DEC = 6 Speed Manual S = GTS Coupe EW0 = All 8.0L Gas DBB = All Manual X = GTS/Lemans										
SERIES LINE BODY ENGINE TRANSMISSION S = RT/10 D = Dodge 27 = Convertible EWB = 8.0L 10 Cyl. SFI DEC = 6 Speed Manual S = GTS Coupe 29 = Coupe EW0 = All 8.0L Gas DBB = All Manual X = GTS/Lemans	DODGE CH	IRYSLER VIPER (S	SR)							
	SERIES S = RT/10 S = GTS C X = GTS/Lo	LINE D = Coupe emans	E Dodge	BODY 27 = Cor 29 = Cor	nvertible upe	ENGINE EWB = 8 EW0 = A	.0L 10 Cyl. S All 8.0L Gas	TR FI DE DE	RANSMIS EC = 6 Sp BB = All M	SION beed Manual Manual

Sensors Figure 008-605



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
EWB= 8	3.0L V10 SFI								
DEC= N	IANUAL 6-SPE	ED							
1	4626 572	1					DEC		SOLENOID, Transmission Skip Shi
2	4848 214	1					DEC		SENSOR, Vehicle Speed
-3	4746 271	1					DEC		SOLENOID, Transmission, Reverse
									Lockout
4	5227 805	1				EWB			SENSOR, Ambient Temperature,
									Intake Charge Temp
5	4848 416	1				EWB			SENSOR, Crankshaft
-6	5245 585	1				EWB			SHIELD, Crank Position Sensor
7	5245 084	1				EWB			SENSOR, Camshaft
8	5602 9405	1				EWB			SENSOR, Map
9									SENSOR, Oxygen
	5602 7916	2				EWB			18 inch, Pigtail, Front
	5604 1004	2				EWB			18 inch, Double Shield, Rear
-10	4874 371	1				EWB			SENSOR, Throttle Position
-11	5602 8194	1							SENSOR, Battery Temperature
-12	4848 214	1					DEC		SENSOR, Vehicle Speed

 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE

 S = RT/10
 D = Dod


 S = GTS Coupe
 X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Single Board Controllers Powertrain Control Module Figure 008-705

TEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									MODULE, Engine Controller
	4848 702AC	1							Federal, Canada
	4848 703AC	1							Europe
-2	4848 160AB-	1							COVER, Module, JTEC Module
3	6034 300	3							SCREW, Tapping, .19-16x1.75



 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE

 S = RT/10
 D = Dod


 S = GTS Coupe
 X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe


ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Switches Figure 008-805




	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
EWB= 8	.0L V10 SFI								
DEC= M	IANUAL 6-SPEE	ΞD							
1	4671 334	1							SWITCH, Stop Lamp, Stop Lamp/
									Speed Control (Clutch Inter-Lock)
2									CLIP, (NOT SERVICED) (Not
									Serviced)
3	4848 110	1				EWB			SENDING UNIT, Temperature
									Gauge
4	4626 593	1					DEC		SWITCH, Back Up Lamp
-5	5300 7944	1				EM.D			SWITCH, Clutch Starter Interlock
-6 -	4848 295	1				EWB			SWITCH, Oil Pressure
-7	5602 6779	1				EWB			SENDING UNIT, Oil Pressure
-8	5245 736	1			29				SWITCH, Electric Back Light
-9	4687 594	1							SWITCH, Door Ajar, Under Hood
									Security Alarm
-10									BRACKET, Wiring
	4848 283AB-	1							Up to 02/10/97
	4848 283AC-	1							After 02/10/97
-11	4848 149	1			29				SWITCH, Strut, Rear Hatch Alarm
-12									SWITCH, Headlamp
	4763 135	1							
	4763 596	1							Export
-13									KNOB, Head Lamp Switch
	4848 135	1							
	4848 136	1							Export
-14									SWITCH, Ignition
	4797 401	1							Upto 10-1-97
	5602 1346	1							After 10-1-97
-15	6503 845	3							SCREW, Ignition Switch
-16									SWITCH, Door Handle
	4848 150	2			29				
		2			27				
-17									SWITCH, Power Window
	5245 735	1			29				
					27				
		1							
-18	4848 291	1 1							SWITCH, Windshield Wiper
-18 -19	4848 291 4728 424	•							SWITCH, Windshield Wiper SWITCH, Disarm, (NOT REQUIRED) SWITCH, Multifunction

Horns Figure 008-905



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									HORN, High Note
	4643 867	1							Up to 1-27-97
	4643 867AB	1							After 1-27-97
-2									HORN, Low Note
	4643 868	1							Up to 1-27-97
	4643 868AB-	1							After 1-27-97
-3	6035 135	2							SCREW, Horn Mounting
<u> </u>	<u> </u>								
DGE CHR	YSLER VIPER (SI	R) -							
RIES	LINE		BODY	ny contible	ENGINE	01 40 0 4 0	TR	ANSMIS	SSION
= RT/10 = GTS Cou	upe .	Dodge	27 = Co 29 = Co	nvertible upe	EMO = 8	.0L 10 Cyl. SF All 8.0L Gas	-ı DE	:C = 6 Sp BB = All N	peed Manual Manual
GTS/Lem	nans								

Battery Tray and Cables Figure 008-1005



	PART													
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION					
1	4642 589	1							BOLT, Hex Head, .375-16x.95, Sic					
									Post Battery					
2	4642 591	1							COVER, Battery Terminal, Battery					
									Side Post, Negative					
3	4642 924	1							COVER, Battery Terminal, Battery Side Post, Positive RETAINER, Battery Hold Down,					
4	4763 635	1												
									Battery Tray					
5									SCREW AND WASHER, Hex Hea					
									M8x1.25x30					
	6500 584	1	D		27									
		1	D		29				w/Washer					
6									WIRING, Unified Body					
	4763 077AB	1			29									
	4848 158AB	1			27									
7	4642 610AB	1							WIRING, Battery Negative					
8	4763 057AB	1							WIRING, Battery Positive					
9	4643 305	1							TRAY, Battery					
-10	6101 308	2							NUT, U, M6x1					
-11	5602 8194	1							SENSOR, Battery Temperature					
-12									LABEL, Battery					
	5003 355AA-	1							650 AMP Maintenance					
	4671 062	1												
	4848 923AA-	1							English/French					

 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE


 S = RT/10
 D = Dod

 S = GTS Coupe
 X = GTS/Lemans

D = Dodge


BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Lamps and Wiring - Front Figure 008-1105




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									LAMP, Side Marker
	4642 930	2			29				Federal, Canada
		2			27				Federal, Canada
	4643 939	2			29				Export
2	6025 002	4			29				NUT AND WASHER, Hex Nut-Cone
									Washer, .190-24, Side Marker
									Lamp To Fascia
3	4676 565	2							LAMP, Front Fender, Side Repeater
									Export
-4	0153 620	2							BULB, 8/4, Side Repeater Lamp,
									Export
-5	4676 801	2							GASKET, Side Marker Lamp, Expor
6	4481 618	2							WIRING, Side Repeater Lamp,
									Export
7									COVER, Fog Lamp
	4643 819	1			27				Left
		1			29				Left
8									LAMP, Fog
	5245 104	2			27				Fog
		2			29				Fog
-9									SCREW, .19-16x.75
	6033 526	4			27				For Lamp to Adapter
		4			29				For Lamp to Adapter
-10	4728 646	2							BULB PACKAGE, 55 Watt, Fog
									Lamp (H3)
-11									BRACKET, Fog Lamp
	5245 172	2			27				Fog Lamp Fascia Front
		2			29				Fog Lamp Fascia Front
-12									SEAL, Fog Lamp
	5245 991	1			29				
		1			27				
13									HEADLAMP
	4848 062AB	1							Federal, Canada, Right
	4848 063AB	1			·	·			Federal, Canada, Left
	4708 146AB	1							Right
	4708 147AB	1							Left
-14	L000 9005	1							BULB, Headlamp
-15	L000 009011	1							BULB, 9011, high beam, Right & Le
-16	0L03 157NA-	1							BULB, 3157 NAK, Park & Turn
									Signal (#3157NA)
17	6504 572	4							NUT AND WASHER, Hex Nut-Cone
									Washer, M8 x 1.25
-18	4708 012	4							NUT, Wing, Headlamp Mounting
ODGE CH	RYSLER VIPER (SI	R) ·							
ERIES	LINE		BODY	nvortible	ENGINE	01 10 0 1 0		RANSMIS	
= RT/10 = GTS Co		Dodge	27 = Co 29 = Co	nvertible upe		.0L 10 Cyl. S III 8.0L Gas		:C = 6 S _I BB = All N	peed Manual Manual
= GTS/Le							3.	1	

Lamps and Wiring - Rear Figure 008-1110




	ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
•		110			0220				1111111	2200 1.0.1
	1									LAMP, Tail Stop Turn
-	•	4848 420	1			29				Right
		4848 421	1			29				Left
		4848 424	1			29				Export, Right
		4848 425	1			29				Export, Left
		4848 420	1			27				Right
		4848 421	1			27				Left
		4848 424	1			27				Export, Right
_		4848 425	1			27				Export, Left
	2									LAMP, Back-Up and Turn Signal
		4642 100	1			29				Right
	_	4642 101	1			29				Left
_	-3	0153 623	4							BULB, P-25-2, Tail Lamp
	4	10.10.100				00				WIRING, Taillamp
		4848 423	1			29				Export
	-	4848 422	1			29				NUIT Wing MC Tail Lamp
-	<u>5</u> 6	6502 589 4642 929	10 2			29 29				NUT, Wing, M6, Tail Lamp LAMP, License Plate
	7	4042 929	2			29				SCREW, Not Serviced, (NOT
	,									SERVICED) (Not Serviced)
	8									BULB, 168
-		L000 0168	2			27				License, CHMSL
		2000 0.00	1			29				License, Dome
	9		•							WIRING, License Lamp, Serviced in
										Uni-Body Harness, (NOT
-										SERVICED) (Not Serviced)
	10	4642 571	1			27				LAMP, High Mounted Stop, Hi-Mtd.
										Stop
_	11	4848 203	AR							GROMMET, Lamp, CHMSL
	12	4643 601	1			27				BRACKET, High Mounted Stop Lamp
	13	3420 1942	2			27				CLIP, Panel Fastener, CHMSL
										Bracket to Lamp
_	14									SCREW, Not Serviced, (NOT
										SERVICED) (Not Serviced)
	15									SCREW, Not Serviced, (NOT
	4.0	1010 010				07				SERVICED) (Not Serviced)
_	16	4642 910	1			27				PANEL, Chmsl Cover, Cover
	17									BRACKET, Not Serviced, (NOT
	18									SERVICED) (Not Serviced)
	10	6034 756	4			29				RIVET, Blind, .156x.460
-		0034 730	10			27				
			10			21				
	ODGE CHR	RYSLER VIPER (S LINE		BODY		ENGINE			TRANSMIS	SION
S	6 = RT/10 6 = GTS Co 6 = GTS/Lei	D =	Dodge		nvertible oupe	EWB = 8	.0L 10 Cyl. S All 8.0L Gas	FI		peed Manual

Lamps and Wiring - Rear Figure 008-1110



Wiring - Engine and Related Parts Figure 008-1205



	PART												
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION				
EWB= 8	.0L V10 SFI												
1									WIRING, Engine				
	4763 760AB	1				EWB		Lower					
	4848 501	1				EWB			Intake				
-2	4848 285	1				EWB			WIRING, Alternator				
-3									BRACKET, Wire Harness				
	4848 779	1				EWB			3/8 x 1/4				
	4848 860AA-	1				EWB			1/4 x 1/4				
-4	4848 344	1				EWB			BRACKET, Wiring Harness, Wirin				
									Assembly				
-5	4642 610AB-	1							WIRING, Battery Negative				
-6	4848 507	1				EWB			WIRING, Engine Ground				
-7	5602 6779	1				EWB			SENDING UNIT, Oil Pressure				

 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE


 S = RT/10
 D = Dod

 S = GTS Coupe
 X = GTS/Lemans

D = Dodge


BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Wiring - Headlamp to Dash Figure 008-1305




ITEM									
	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
4									WIDING H. II. C. D. I
1									WIRING, Headlamp to Dash
	4763 082AD	1							Up to 02/10/97
	4763 082AE	1							After 02/10/97
-2									FLASHER
	2932 877	1							
	5600 7098	1							Combination
-3	4604 611	1							COVER, Power Distribution Center
-4									LABEL, Fuse Block
	4848 797	1							Top Cover Fuses
	4848 579	1							Fuse & Relay Top Cover
	4848 772	1							Fuse Identification
-5	4848 796	1							LABEL, Relay Identification, ISO
-3	4040 730	'							Relay (Top Cover)
									Relay (10p Gover)
DOGE CHR	YSLER VIPER (SR)	DODY		ENIONE			DANISAUG	SION
DDGE CHR :RIES = RT/10	LINE	SR)	BODY 27 = Cc	onvertible	ENGINE FWB = 8	.0L 10 Cyl. S	TF N	RANSMIS	SSION peed Manual

Wiring - Instrument Panel Figure 008-1405



		PART								
ITI	EM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
					•	•			· ·	
	1	4763 138AC	1							WIRING, Instrument Panel
		4848 076	AR							BLOCK, Fuse
-	-3									FLASHER
		2932 877	1							Turn Signal
		5600 7098	1							Combination
										<u> </u>
										_
DODG	E CHR	SLER VIPER (S	SR)	DODY		ENIONE			A NIOR 410	CION
SERIE S = R1	Γ/10	LINE D =	E Dodge	BODY 27 = Co	nvertible	ENGINE EWB = 8	.0L 10 Cyl. SI	FI DE	RANSMIS EC = 6 S _I	peed Manual
S = G7 X = G7	TS Cou	pe	-	29 = Co	oupe	EW0 = A	ll 8.0L Gas	DE	BB = All N	Manual
A = G	. 0/ LC(1	uiio								

Wiring - Body and Accessories Figure 008-1505



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-									
EMD 0	01.1/40.051								
EVVB= 8	.0L V10 SFI								WIDING Haified Dedic
ı	4700 077 A D	4			20				WIRING, Unified Body
	4763 077AB	1			29				
	4848 158AB	1			27				MIDINO T
2	5245 041	1							WIRING, Transmission
-3	4763 057AB-	1							WIRING, Battery Positive
-4	4642 610AB-	1							WIRING, Battery Negative
-5	4763 806AB-	1				EWB			HARNESS, CCV To Air Cleaner
-6	4763 804AC-	1				EWB			HARNESS, Canister Purge
-7	4763 767AB-	1				EWB			HARNESS, PCV
-8									WIRING, Door
	4763 075AB-	1							Left
	4763 076AB-	1							Right
-9	4481 618	2							WIRING, Side Repeater Lamp,
									Export
-10	4709 138	1							WIRING, Side Marker Jumper
-11	4848 156AC-	1			29				WIRING, Electric Back Light, Ground
-12	4708 364	1							WIRING, Heater and A/C, Sub-Assy.
-13	4886 109AA-	1			27				WIRING, Mirror Jumper
									•

 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE

 S = RT/10
 D = Dod

 S = GTS Coupe
 X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Connector Repair Package Figure 008-1610

	ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
			1			1			1	
	1	5013 930AA-	1							WIRING PACKAGE, Underhood
										Connector Repair, For Electrical Connector Repair Information visit
										the World Wide Web at http://dto.
										vftis.com/mopar/disclaimer.asp
For Electrical Connector Repair Information visit										
the World Wide Web at										
http://dto.vftis.com/mopar/disclaimer.asp										
	DODGE CHE SERIES S = RT/10 S = GTS Co X = GTS/Le	oupe	SR) E Dodge	BODY 27 = Co 29 = Co	onvertible oupe	ENGINE EWB = 8 EW0 = A	.0L 10 Cyl. S All 8.0L Gas	FI DE	ANSMIS EC = 6 Sp BB = All M	peed Manual

4	
	2
	2
	2 -2
3	=2

ITEM									
	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
EWB= 8.	.0L V10 SFI								
1	4883 365AA	1				EWB			CABLE PACKAGE, Ignition, Spark
									Plug
2									WIRE, Spark Plug
	4763 780	1				EWB			[#1]
	4763 781	1				EWB			[#2]
	4763 782	1				EWB			[#3]
	4763 783	1				EWB			[#4]
	4763 784	1				EWB			[#5]
	4763 785	1				EWB			[#6]
	4763 786	1				EWB			[#7]
	4763 787	1				EWB			[#8]
	4763 788	1				EWB			[#9]
	4763 789	1				EWB			[#10]
3	5602 7275	10				EWB			SPARK PLUG, RC-12-LYC5
4	5245 237	7				EWB			SEPERATOR, Ignition Cable,
									Attaches to Thermo. Housing, 4 or
									Place
-5	5302 0419	10				EWB			SHIELD, Heat, Spark Plug
-6									COIL, Ignition
	5603 2520	1				EWB			Six Lead
	5603 2521	1				EWB			Four Lead
ODGE CH	RYSLER VIPER (S LINE		BODY		ENGINE			RANSMIS	POLON

SERIES S = RT/10 S = GTS Coupe X = GTS/Lemans


LINE D = Dodge


BODY 27 = Convertible 29 = Coupe

ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Group – 08A

Instrument Panel and Radios and Consoles







GROUP 8A - Instrument Panel and Radios and Consoles

Illustration Title	Group-Fig. No.
Instrument Panel Instrument Panel	Fig. 08A-110
Instrument Panel Cluster	
Gauge Cluster	Fig. 08A-210
Radio, Antenna, and Speakers	
Radios	Fig. 08A-305
Antenna-Speakers	Fig. 08A-310
Consoles	
Console	Fig. 08A-410

Instrument Panel Figure 08A-110



Instrument Panel Figure 08A-110



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-22	5245 299AB-	1							MODULE, Lighting Control,
									Instrument Panel Lamp dimming
23	4848 798	1			29				CAP
24									WASHER, (NOT SERVICED) (Not
									Serviced)
25									SCREW, [.190-16x2.00], (NOT
									SERVICED) (Not Serviced)
-26	4848 664	1			29				WIRING, LED Security, w/Red Lens
-27	4848 663	1			29				BEZEL, Windshield Frame
			•		•		•	•	<u> </u>

 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE

 S = RT/10
 D = Dod

 S = GTS Coupe
 X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

	2	
		4 5 6 7
1	3	

A-210									
ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
								!	
1									GAUGE, Speedometer
	4763 850AB	1							With MPH
	4763 853AB	1							With KPH
2	4763 851AB	1							GAUGE, Tachometer
3	4763 128AB	1							MODULE, Message Center, Warning
_									Indicators
4	4040 400 AD								GAUGE, Oil Pressure
	4642 133AB	1							Evport
5	4643 966AB	1							Export GAUGE, Temperature
J	4642 134AB	1							GAOGE, reinperature
	4643 967AB	1							Export
6	4642 135AB	1							GAUGE, Volt
7	4848 581AB	1							GAUGE, Fuel
-8	4848 154	1							CHIMNEY, Cluster, Turn Signal

 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE

 S = RT/10
 D = Dod

 S = GTS Coupe
 X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Radios Figure

### PREMIUM, ALPINE STEREO W/CD 1		PART								_
4763 982AB 1 Sales Code (RBH) 4848 134AB 1 Sales Code (RBH), Export -2 6032 723 2 SCREW, Self Tapping, M4.2x 69x19.05, Radio Attaching	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1 RADIO, AM/FM with CD 4763 982AB 1 Sales Code (RBH) 4848 134AB 1 Sales Code (RBH), Export -2 6032 723 2 SCREW, Self Tapping, M4.2x 69x19.05, Radio Attaching	SH=PR	EMILIM ALDIN	JE STE	REO W/CI	D					
4763 982AB 1 Sales Code (RBH) 4848 134AB 1 Sales Code (RBH), Export -2 6032 723 2 SCREW, Self Tapping, M4.2x 69x19.05, Radio Attaching		LIVIIOIVI, ALI III	VL SIL	INLO VV/OL						RADIO. AM/FM with CD
4848 134AB 1 Sales Code (RBH), Export -2 6032 723 2 SCREW, Self Tapping, M4.2x 69x19.05, Radio Attaching		4763 982AB	1							
-2 6032 723 2 SCREW, Self Tapping, M4.2x 69x19.05, Radio Attaching										
69x19.05, Radio Attaching	-2									SCREW, Self Tapping, M4.2x1.
-3 4763 136 1 BRACKET, Radio										69x19.05, Radio Attaching
	-3	4763 136	1							BRACKET, Radio
									-	

551-8 585A

RBH

 DODGE CHRYSLER VIPER (SR)


 SERIES
 LINE

 S = RT/10
 D = Dod

 S = GTS Coupe
 X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-1									ANTENNA, Serviced with
									Windshield, (NOT REQUIRED)
-2	4848 850AC-	1							COVER, Antenna Opening
3									SPEAKER, 6.5", All Speakers
									Serviced Only By ALPINE Dealer,
									(NOT SERVICED) (Not Serviced)
4	5245 738	2	D		29				GRILLE, Speaker, Door
5									SCREW, .164-18x1.5 Not Serviced,
									(NOT SERVICED) (Not Serviced)
6	4848 147	1			27				GRILLE, Speaker, Center
7									RING, Speaker, (NOT SERVICED)
									(Not Serviced)
8									SCREW, .164-15x.750, (NOT
									SERVICED) (Not Serviced)
9									AMPLIFIER, Radio, Serviced Only
									By ALPINE Dealer, (NOT
									SERVICED) (Not Serviced)
10	4848 139	1							BRACKET, Amplifier Retainer
11	6100 557	2							BOLT AND CONED WASHER, Hex
									Head, M6x20x14, Amplifier
									Retainer Attaching
12	4848 137	1							BRACKET, Amplifier, Assembly
13	3420 1358	3							NUT AND WASHER, Hex Nut-
									Sealing Washer, M6 x 1.00,
									Amplifier Attaching
-14	4709 110	1							CABLE, Amplifier Box, With Shield
-15	4709 112	1							GROMMET, Antenna Amplifier
16	4709 109	1							BOX, Antenna Amplifier
17									SCREW, .190-16X.375, (NOT
									SERVICED) (Not Serviced)
-18	4848 082	1							HOLDER, Fuse, Block

 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE


 S = RT/10
 D = Dod

 S = GTS Coupe
 X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Console Figure 08A-410



		PART								
_	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	1	D221 SX8	1							ASH RECEIVER, Rear Door, (Black)
_	-2									CLIP, Ash Receiver Retention
		4643 872	2			29				
			2			27				
_	3									BEZEL, Instrument Panel, Center
		KS79 MX4	1			29				
		PK84 MX4	1			27				
	4									SCREW, (NOT SERVICED) (Not
_										Serviced)
	5	PF25 TX7	1							CONSOLE, Front, Assembly (Items 7
										& 8 Included) Black
	6									SCREW, (NOT SERVICED) (Not
										Serviced)
	-7									SHELL, Cigar Lighter
		3747 634	1			29				
			1			27				
_		3747 633	1			29				with Clamp
			1			27				with Clamp
	8	4373 688	1							KNOB AND ELEMENT, Cigar Lighter
	9	PD66 TX9	1	D		29				BOOT, Parking Brake Lever, Black
	10	PD67 TX9	1	D		29				BOOT, Gearshift, Black, Leather
	11	4848 038	1							BOOT, Gearshift, Rubber Base

 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE


 S = RT/10
 D = Dod


 S = GTS Coupe
 X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Group – 009 Engine Mounting






GROUP 9 - Engine Mounting

Illustration Title	Group-Fig. No.
Engine Mounting	
Engine Mounting, Front 8.0L Engine	Fig. 009-110
Engine Mounting Rear 8 01 Engine	Fig. 009-120

Engine Mounting, Front 8.0L Engine Figure 009-110



09-110									
	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	0004 500					514/5			DOLT 411
1	6034 523	4				EWB			BOLT, Alternator, w/Washer, (.375-16x4.00)
2	0152 344	4				EWB			NUT, .375-16
3	4796 376	2				EWB			BRACKET PACKAGE, Engine Moun
4	4643 546	2				EWB			SHIELD, Heat, Engine Mount
5									INSULATOR, Engine Mount
	4642 617	1				EWB			Left
	4643 530	1				EWB			Right
6	6025 022	2							NUT AND WASHER, Hex Nut-Coned
									Washer, .500-13
ODGE CH	IRYSLER VIPER (SR) -							
ERIES = RT/10	LIN	E : Dodge	BODY	nvertible	ENGINE EWR - 8	.0L 10 Cyl. S	TF FI DF	RANSMIS	SSION peed Manual


S = RT/10 S = GTS Coupe X = GTS/Lemans

27 = Convertible 29 = Coupe

EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas


DEC = 6 Speed Manual DBB = All Manual


Engine Mounting, Rear 8.0L Engine Figure 009-120




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
IIEW	NUMBER	QIY	LINE	SERIES	RODA	ENGINE	IKANS	IKIM	DESCRIPTION
1	6101 707	2							BOLT, M10x1.50x75, Trans.
									Crossmember to Frame,
2	6502 696	2							NUT, Hex Flange Lock, M10x1.5,
									Trans. Crossmember to Frame,
3	4643 318	1							MOUNT, Transmission
4	6501 596	2							SCREW AND WASHER, Hex Head
5	4763 813	1							M10x1.5x45 CROSSMEMBER, Transmission
6	6502 696	1							NUT, Hex Flange Lock, M10x1.5,
	0002 000	<u>'</u>							Mount to Trans. Crossmember,
ODGE CHI	RYSLER VIPER (SR)							
ODGE CHI ERIES = RT/10	LINE	SR)	BODY 27 = Cor	nvertible	ENGINE EWB = 8	.0L 10 Cyl. SF	TR FI DF	ANSMIS C = 6 Si	SION peed Manual

Group – 8.0L Engine 8.0L Ten Cylinder





Group – 8.0L Engine 8.0L Ten Cylinder




GROUP 8.0L - Engine 8.0L Ten Cylinder

Illustration Title	Group-Fig. No.
Engine Identification I.D. Location 8.0L Engine	Fig. 8.0L-110
Cylinder Head	1 ig. 0.0L 1 io
Cylinder Head 8.0L Engine	Fig. 8.0L-210
Cylinder Block	
Cylinder Block 8.0L Engine	Fig. 8.0L-310
Crankshaft, Piston and Torque Converter Crankshaft and Pistons 8.0L Engine	Fig. 8.0L-410
Camshafts & Valves Camshafts and Valves 8.0L Engine	Fig. 8.0L-510
Timing Belt and Cover Timing Belt and Cover 8.0L Engine	Fig. 8.0L-610
Engine Oiling Engine Oiling 8.0L Engine	Fig. 8.0L-710
Manifolds Manifolds, Intake and Exhaust 8.0L Engine	Fig. 8.0L-810
Crankcase Ventilation Crankcase Ventilation 8.0L Engine	Fig. 8.0L-910
Oil Cooler 8.0L Engine	Fig. 8.0L-1110

I.D. Location 8.0L Engine Figure 8.0L-110


	ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	VIN Numb	er located on	right re	ar side of	cylinder blo	ock in front	of clutch I	nousing. S	ERIAL I	Number located on right lower front of
	cylinder 1	block above	oil filter.							LABEL, Equipment Identification, (NOT SERVICED) (Not Serviced)
ENGINE BLOCK (RIGHT SIDE) FRONT OF ENGINE O O O O O O O O O O O O O										
	DODGE CHRY SERIES S = RT/10 S = GTS Cou X = GTS/Lem	'SLER VIPER (S LINE D = I pe ans	Dodge	BODY 27 = Co 29 = Co	onvertible	ENGINE EWB = 8 EW0 = A	.0L 10 Cyl. S	TF SFI DE DE	RANSMIS EC = 6 Sp BB = All M	SION Deed Manual Manual

Cylinder Head 8.0L Engine **Figure 8.0L-210**



Cylinder Block 8.0L Engine Figure 8.0L-310

	PART										
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION		
-1	4882 951	1				EWB			GASKET PACKAGE, Engine Lowe		
2	4763 703	1				EWB			BLOCK, Short		
3	J400 5149	4				EWB			DOWEL, Oil Pump		
4	6034 166	10				EWB			PLUG, Cylinder Block Oil Hole		
5	4429 678	2				EWB			PIN, Dowel		



 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE

 S = RT/10
 D = Dod


 S = GTS Coupe
 X = GTS/Lemans

D = Dodge


BODY 27 = Convertible 29 = Coupe

ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Crankshaft and Pistons 8.0L Engine Figure 8.0L-410



Crankshaft and Pistons 8.0L Engine Figure 8.0L-410



	PART													
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION					
	•													
	4723 540	1				EWB		White-Clear						
	4723 542	AR				EWB		Orange						
	4883 375AA	AR				EWB			Yellow					
19									BEARING PACKAGE, Crankshaft					
	4883 681AA	AR				EWB			Standard, Main, +.030 Outside					
									Diameter					
	4883 682AA	1				EWB			[.001 Undersized, Main,+.030					
									Outside Diameter]					
	4883 683AA	AR				EWB			[.002 Undersized, Main,+.030					
									Outside Diameter]					
	4883 684AA	AR				EWB			[.010 Undersized, Main,+.030					
									Outside Diameter]					
	4883 689AA	AR				EWB	[.010 Undersized, Main, Standard,							
									Outside Diameter]					
20	5096 020AA	AR				EWB		BEARING PACKAGE, Crankshaf						
								.009" U/S						
21	5096 021AA	AR				EWB			BEARING PACKAGE, Crankshaft					
									thrust, .009" U/S					
22	5096 022AA	AR				EWB			BEARING PACKAGE, Crankshaft,					
									.010" U/S					
23	5096 023AA	AR				EWB			BEARING PACKAGE, Crankshaft					
									thrust, .010" U/S					
24	5096 024AA	AR				EWB			BEARING PACKAGE, Crankshaft,					
									.011" U/S					
25	5096 025AA	AR				EWB			BEARING PACKAGE, Crankshaft					
									thrust, .011" U/S					
26	6034 749	1				EWB			KEY, Crankshaft Sprocket					
27	5245 110	1				EWB			DAMPER, Crankshaft					
28	6034 504	1				EWB			WASHER, Flat, .78x1.94					
29	6034 505	1				EWB			SCREW, Hex Head, .75-16x2.25					
30	6035 470	12				EWB			BOLT, Bearing Cap					
31	6035 665	4				EWB			BOLT, Bearing Cap					
32	6035 469	8				EWB			STUD, .562-12x5.670					

 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE


 S = RT/10
 D = Dod

 S = GTS Coupe
 X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Camshafts and Valves 8.0L Engine Figure 8.0L-510



		PART											
-	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION			
	1	5245 335	20				EWB ROCKER ARM, Valve						
	2	5245 336	20				EWB			PIVOT, Rocker Arm			
	3	4848 550	10				EWB			RETAINER, Rocker Arm Pedestal			
	4	6034 499	20				EWB			BOLT, Hex Flange Head, .375-16x1.			
										50			
	5	3300 3521	20				EWB			LOCK, Valve Spring Retainer			
	6	5245 374	20				EWB			RETAINER, Valve Spring			
	7	4761 616	20				EWB			SPRING PACKAGE, Valve			
	8	5245 162	20				EWB			SEAT, Valve Spring			
	9	5300 9886	10				EWB			SEAL, Valve Guide, Intake			
	10	5300 9887	10				EWB			SEAL, Valve Guide, Exhaust			
	11	4763 747	10				EWB	VALVE, Intake, Standard					
	-12	4883 699AA-	AR				EWB	VALVE, Intake, .003" O/S, Orange					
	-13	4883 700AA-	AR				EWB		VALVE, Intake, .015" O/S, Orange				
	14	4763 748	10			EWB VALVE, Exhaust, Stand							
	-15	4883 702AA-	AR				EWB			VALVE, Exhaust, .005" O/S, Orange			
	-16	4883 703AA-	AR				EWB			VALVE, Exhaust, .015" O/S, Orange			
	-17	4883 704AA-	AR				EWB			VALVE, Exhaust, .030" O/S, Orange			
	-18	5096 010AA-	AR				EWB			INSERT, Valve Guide			
	19	5245 071	1				EWB			PLUG, Camshaft			
	20	0141 195	1				EWB			DOWEL, .25x.62			
	21	4713 439	20				EWB			TAPPET PACKAGE, Valve			
	22	4763 708	1				EWB			CAMSHAFT, Engine			
	-23	4883 695AA-	1				EWB			CAMSHAFT, Engine, .002" O/S			
										Journal, Brown			
	-24									CAMSHAFT, Engine			
		4883 696AA-	1				EWB			[+.003 Oversized Journal - Blue]			
		4883 697AA-	1				EWB			[+.030 Oversized Journal - White]			
	25	4848 548	20				EWB			PUSH ROD, Valve			
	26	5245 169	10				EWB			YOKE, Tappet Aligning			
	27	5245 170	10				EWB			BOLT, .25-20x.88			

 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE


 S = RT/10
 D = Dod

 S = GTS Coupe
 X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Timing Belt and Cover 8.0L Engine Figure 8.0L-610



ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION	
1	5245 359	1				EWB			PLATE, Camshaft Thrust	
2	0220 800	2				EWB			SCREW, Hex Head, .312-18x.75	
3	4863 827	1				EWB			CHAIN PACKAGE, Timing	
4	6034 749	1				EWB			KEY, Crankshaft Sprocket	
5	6024 035	1				EWB			BOLT, Hex Head, .375-14x1.75	
6	6035 558	9				EWB	SCREW, Hex Flange Head, .375-			
									16x1.50	
7	4763 745	1				EWB			GASKET, Chain Case Cover	
8	4763 731	1				EWB			COVER, Timing Case	
9	5245 135	1				EWB			SEAL, Rear Main Crankshaft	

 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE


 S = RT/10
 D = Dod

 S = GTS Coupe
 X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Engine Oiling 8.0L Engine Figure 8.0L-710



	PART												
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION				
1	4848 784	1				EWB			CAP, Oil Pressure Relief Valve				
2	4848 785	1				EWB			SPRING, Oil Pressure Relief Valve				
-3	2843 208AB-	2				EWB			PLUNGER, Oil Pressure Relief				
									Valve, Serviced in Case Cover				
4	4848 786	1				EWB			VALVE, Oil Cooler Pressure				
5	4763 731	1				EWB			COVER, Timing Case				
6	5245 525	1				EWB			ROTOR SET, Oil Pump				
7	5245 128	1				EWB			COVER, Engine Oil Pump				
8	6034 475	4				EWB			SCREW, Torx Head, .25-20x.75				
9	4763 791	1				EWB			INDICATOR, Engine Oil Level				
10	4763 792	1				EWB			TUBE, Engine Oil Indicator				
11	4763 740	1				EWB			PICKUP, Engine Oil				
12	0154 601	8				EWB			SCREW, Pan Head, .19-24x.5				
13	0219 462	8				EWB			NUT, Hex, .250-20				
14	5281 090	1				EWB			FILTER, Engine Oil				
15	5300 7563	1				EWB			CONNECTOR, Oil Filter				
16	6035 666	26				EWB			SCREW, Hex Flange Head, .25-				
									20x1.00				
17	4763 736	1				EWB			ADAPTER, Oil Filter				
18	4763 738	1				EWB			SEAL, Drain Plug				
19	5245 086	1				EWB			GASKET, Oil Filter Adapter				
20	4848 331	2				EWB			CONNECTOR, Engine Oil Cooler				
21	4763 737	1				EWB			GASKET, Oil Pan				
22	4763 744	1				EWB			PAN, Engine Oil				
23	6035 666	26				EWB			SCREW, Hex Flange Head, .25-				
									20x1.00				
24	4763 739	1				EWB			PLUG, Oil Drain				
25	4848 705	1				EWB			TRAY, Windage				
-26	5245 324	1				EWB			SEAL, Rear Main Crankshaft				

 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE


 S = RT/10
 D = Dod

 S = GTS Coupe
 X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Manifolds, Intake and Exhaust 8.0L Engine Figure 8.0L-810



	PART												
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION				
						-							
1	4763 758	1				EWB		MANIFOLD, Intake					
2	6034 166	10				EWB			PLUG, Cylinder Block Oil Hole				
3	6035 666	20				EWB			SCREW, Hex Flange Head, .25-				
									20x1.00				
4	5245 194	2				EWB		GASKET, Intake Manifold					
5	4848 339	2				EWB			GASKET, Exhaust Manifold				
6								MANIFOLD, Exhaust					
	4763 771	1				EWB		Left					
	4763 770	1				EWB			Right				
7	6034 595	20				EWB			WASHER, Coned, .340 x .750 x .180				
8	6034 596	14				EWB			BOLT, Hex Head				
9	6034 658	6				EWB			STUD				
10	5245 642	2							SHIELD, Exhaust Manifold				
11	5245 585	1				EWB			SHIELD, Crank Position Sensor				
12	6034 856	6							NUT AND WASHER, Hex Nut-E				
									Teeth Washer, .312-24				
13	4763 414	2				EWB			PLUG, Cylinder Block Oil Hole				
14	5245 193	1				EWB	VALVE, Shrader						

 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE

 S = RT/10
 D = Dod

 S = GTS Coupe
 X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas


Crankcase Ventilation 8.0L Engine Figure 8.0L-910

	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
					I					
		5245 322	1				EWB			GROMMET, Crankcase Vent
		3671 076	1				EWB			VALVE, PCV
		4763 767 4848 340	1 1				EWB EWB			HARNESS, PCV HOSE, PCV Inlet
		4763 806	1				EWB			HARNESS, CCV To Air Cleaner
(2)										
(3)										
11										
11										
\bigcirc										
(5)										
										_
	DODGE CHR	RYSLER VIPER (3 LINI	SR)	DOD'		ENONE			ANO: 410	2101
	S = RT/10	D =	E Dodge	BODY 27 = Co	onvertible	ENGINE EWB = 8	.0L 10 Cyl. S All 8.0L Gas	TR/ FI DE	ANSMIS C = 6 Sp	SION reed Manual fanual
	S = GTS Co X = GTS/Ler	upe mans		29 = Co	oupe	EW0 = A	All 8.0L Gas	DBI	B = All N	lanual

PART

Oil Cooler 8.0L Engine Figure 8.0L-1110

ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4848 310	1							LINE, Oil Cooler Inlet
2	4848 300	1							LINE, Oil Cooler Outlet
3	4643 826	1							COOLER, Engine Oil
4	6101 283	2							U-NUT, M8x1.25
5	6100 296	2							BOLT, Hex Head



 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE


 S = RT/10
 D = Dod


 S = GTS Coupe
 X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Group – 011 Exhaust






GROUP 11 - Exhaust

Illustration Title	Group-Fig. No.
Exhaust System	
Exhaust System, U.S. and Canada	Fig. 011-115
Exhaust System, Export	Fig. 011-120
Heat Shields	
Heat Shield	Fig. 011-210

Exhaust System, U.S. and Canada Figure 011-115




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4763 667	1							ISOLATOR, Exhaust Support
2	4763 629	2							SUPPORT, Exhaust Isolator
3	4709 038	5							ISOLATOR, Exhaust
4	4708 458	5							SUPPORT, Exhaust Isolator
5	6033 047	14							BOLT, Shoulder, .312-18x2.00
6	5245 788	1							MUFFLER, Exhaust, w/Pipe
7	6101 445	2							NUT AND WASHER, Hex Nut-Coned
									Washer, M8 x 1.25, Hanger
8	5245 034	1							HANGER, Muffler, Rear
9									RESONATOR AND PIPE, Exhaust
	4854 302AA	1							Right
	4854 303AA	1							Left
10									INSULATION, Thermal Sill Inner
	5245 814	1							Right
	5245 815	1							Left
11	6100 299	2							BOLT AND CONED WASHER, Hex
									Head, M8x45x17
12	4695 220	2							CLAMP, Exhaust, 57.2mm
13	4848 935AA	1							CLAMP, Exhaust, 2 1/2' Band
14									CONVERTER, Catalytic
	4855 440	1							Right
	4855 441	1							Left
15	4763 586	2							GASKET, Exhaust, Ring, Exhaust
									Pipe to Manifold
16	4427 610	4							NUT, Hex Flange, M8x1.25
17	4709 106	1							HANGER BAR, Muffler
18	6101 542	2							SCREW, Hex Head, M8-1.25 x 20,
									Hanger Bar,
									-

DODGE CHRYSLER VIPER (SR) SERIES LINE

S = RT/10 S = GTS Coupe X = GTS/Lemans LINE D = Dodge BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Exhaust System, Export Figure 011-120



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4763 667	1							ISOLATOR, Exhaust Support
2	4763 629	2							SUPPORT, Exhaust Isolator
3	4709 038	5							ISOLATOR, Exhaust
4	4708 458	5							SUPPORT, Exhaust Isolator
5	6033 047	14							BOLT, Shoulder, .312-18x2.00
6									MUFFLER, Exhaust
	4763 668	1							Right
	4763 669	1							Left
7	6101 445	2							NUT AND WASHER, Hex Nut-Coned
									Washer, M8 x 1.25, Hanger
8	5245 034	1							HANGER, Muffler, Rear
9									MUFFLER, Exhaust
	4763 588	1							Right
	4763 589	1							Left
10									INSULATION, Thermal Sill Inner
	5245 814	1							Right
	5245 815	1							Left
11	6100 299	2							BOLT AND CONED WASHER, Hex
									Head, M8x45x17
12	4695 220	2							CLAMP, Exhaust, Muffler Tip
13									CONVERTER, Catalytic
	4855 440	1							Right
	4855 441	1							Left
14	4763 586	2							GASKET, Exhaust, Ring, Exhaust
									Manifold to Exhaust Assembly
15	4427 610	4							NUT, Hex Flange, M8x1.25
16	4709 106	1							HANGER BAR, Muffler, Muffler
									Hanger
17	6101 542	2							SCREW, Hex Head, M8-1.25 x 20,
									Hanger Bar
18	4695 220	2							CLAMP, Exhaust, 57.2mm
19	4848 935AA	1							CLAMP, Exhaust, 2 1/2' Band

 DODGE CHRYSLER VIPER (SR)


 SERIES
 LINE


 S = RT/10
 D = Dod

 S = GTS Coupe
 X = GTS/Lemans
 D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Heat Shield Figure 011-210






	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SHIELD, Heat
	4763 846	1							Right
	4763 847	1							Left
2	6035 135	2							SCREW, Shield, (.250-14x.875)
3	6029 074	6							U-NUT, .25-20, Shield
4	5245 730	1							SHIELD, Heat, Rear Muffler
5	6035 494	10							SCREW TAPPING & WASHER, He
									Head, .190-16X.500, Shield, (.190
									16x.500)
								-	


DODGE CHRYSLER VIPER (SR)
SERIES LINE
S = RT/10 D = Dod
S = GTS Coupe
X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Group – 013 Frames and Bumpers






GROUP 13 - Frames and Bumpers

Illustration Title	Group-Fig. No
Frames	
Frame	Fig. 013-110
Front Bumper and Fascia	
Fascia, Front	Fig. 013-210
Rear Bumper and Fascia	
Fascia, Rear	Fig. 013-310

Frame Figure 013-110



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									FRAME
	4855 232	1							
	4886 458AA	1							Rear Right,Rail
	4886 459AA	1							Rear Left,Rail
2	4886 314AA	1							FRAME, Front Clip
3	4848 657	1							CROSSMEMBER, Front Frame
4									SILL, Body Side
	4886 422AA	1							Right
	4886 423AA	1							Left
5									STRUT, Support to Upper Rail
	4708 052	1							Right
	4708 053	1							Left
6	6101 780	8							SCREW, M6x1x25
7	6025 335	4							SCREW
-8	4848 653	2			29				BRACKET, Sportbar
-9	4848 656	2							STUD PLATE, Sport Bar Suppor
									Bracket
-10	6503 571	3							SCREW AND WASHER, M10x1.
									50x35, Front Cross Member
11	4763 524AB	1							CROSSMEMBER, Differential,
									Differential Pinion Mtg.
12									SCREW, (NOT SERVICED) (Not
									Serviced)
13	6502 696	3							NUT, Hex Flange Lock, M10x1.5
									Transmission, Cross Member To
									Frame


 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE


 S = RT/10
 D = Dod


 S = GTS Coupe
 X = GTS/Lemans
 D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas



Fascia, Front Figure 013-210






	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									FASCIA, Rear
	5003 161AA	1			27				Primed
	5003 162AA	1			29				Primed
	HC80 1BEAB	1			27				Stripes - Dual Painted (Blue &
									White)
	LB05 1BEAB	1			29				Stripes - Dual Painted (Blue &
									White)
	LB01 1BEAB	1			29				Stripes - Dual Painted (Blue &
									White) EXPORT
	4897 985AA	1			29				EXPORT
2	4763 098	1							BUMPER, Fascia, Reinforcement
-3									ADAPTER, Bumper Fascia
	5245 076	1			27				Right
	5245 077	1			27				Left
	5245 076	1			29				Right
	5245 077	1			29				Left
-4	4763 373	1			29				FOAM AND TAPE, Fascia, Rear
-5	4270 974	1							LICENSE PLATE KIT
-6	4643 662	1							FRAME, License Plate, Export
7	6035 135	3							SCREW, Splash Shield to Frame
8	6501 941	4							NUT AND WASHER, Fascia to
									Quarter Panel
9	6033 526	6							SCREW, .19-16x.75
10	6025 335	8							SCREW, Fascia to Lower Splash
11	6029 074	8							U-NUT, .25-20
12	6101 448	4							NUT AND WASHER, Hex Nut-Coned
									Washer, M10 x 1.5
13									SHIM, Not Serviced, (NOT
									SERVICED) (Not Serviced)
14									RETAINER, Rear Fascia
	5245 790	1			29				Right
	5245 791	1			29				Left


DODGE CHRYSLER VIPER (SR)
SERIES LINE
S = RT/10 D = Dodge
S = GTS Coupe
X = GTS/Lemans

BODY 27 = Convertible 29 = Coupe


ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Group – 014 Fuel






Group – 014 Fuel




GROUP 14 - Fuel

Illustration Title	Group-Fig. No.
Tank, Fuel Fuel Tank	Fig. 014-110
Fuel Tank Filler Tube Fuel Filler Tube	Fig. 014-210
Fuel Lines And Filter	Fig. 014-310
Fuel Supply Tube	Fig. 014-410
Fuel Module	Fig. 014-510
Throttle Body Throttle Body	Fig. 014-610
Throttle Controls Throttle Controls	Fig. 014-710
Air Cleaner Air Cleaner	Fig. 014-810
Accelerator Pedal Accelerator Pedal	Fig. 014-1110

Fuel Tank Figure 014-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	'								
	4709 500	1							TANK, Fuel
	4848 282	1						_	STRAP, Fuel Tank
3									SCREW AND WASHER, Hex Head
									M8x1.25x25, Locking, (NOT SERVICED) (Not Serviced)
									SEKVICED) (NOL Serviced)
_		_	_					_	
DGE CHRY	YSLER VIPER (S LINE	SR) ·	BODY		ENGINE			RANSMIS	
= RT/10 = GTS Cou = GTS/Lem	D =	Dodge	27 = Co 29 = Co	onvertible	EWB = 8	3.0L 10 Cyl. SF All 8.0L Gas	FI DE	RANSINIS EC = 6 Sp BB = All N	peed Manual
OTC CO.	ino		20 1:4-	NIDO.	E\\(\alpha\) = \(\alpha\)	4 II O OI ()		OD AIL	Manual



		PART								
ITE	М	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	1									TUBE, Fuel Filler
	4	848 760	1			27				
	4	848 811	1			29				
2	2									TUBE, Fuel Filler Vent
	4	763 002AB	1			29				
	4	763 008AB	1			27				
3	3 6	502 089	1							CLAMP, HOSE CLAMP, Vent Hose
4	4									CAP, Fuel Filler
	4	763 684	1			29				Monza Metal Base
	4	848 132	1							Fuel Filler Tube
5	5									SCREW, Tapping, .19-16x.75, (NOT
										SERVICED) (Not Serviced)
6	6									CLAMP, Hose
	6	502 090	2			29				
			2			27				
7	7									NUT, Hex Flange With Serration,
										(NOT SERVICED) (Not Serviced)
-8	3 4	763 476	1	•	·	27	·	·	•	SHIELD, Fuel Filler Door

 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE


 S = RT/10
 D = Dod

 S = GTS Coupe
 X = GTS/Lemans

D = Dodge


BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Fuel Lines And Filter Figure 014-310



	PART		1]	l .		
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4763 006	11							TUBE BUNDLE, Fuel Lines
2									SCREW, M8x1.25x25, (NOT
									SERVICED) (Not Serviced)
3	4708 317	1							FILTER, Fuel
4	3404 625	1							CLIP, Tube
5	4764 000	1							TUBE, Fuel
6	5201 7741	5							CLIP, Fuel Bundle
7	2207 919	3							CLIP, Parking Brake Cable, Fuel Line
8	6035 135	3							SCREW, Fuel Line Clip, (.250-14)
									875)
									·
	-								
DGE CH	IRYSLER VIPER (SR)							
RIES : RT/10	LIN	E Dodge	BODY 27 = Con	·+ihla	ENGINE EWB = 8	3.0L 10 Cyl. S	D	RANSMIS	SSION peed Manual
GTS C	oupe	Douge	27 = Con 29 = Cou		EW0 = I	3.0L 10 Cyl. S All 8.0L Gas	FI D)BB = All N	peed Manual Manual
	emans			P-		•••			

Fuel Supply Tube Figure 014-410



	PART								
TEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5245 792	1				EWB			RAIL, Fuel
2	6035 666	10				EWB			SCREW, Hex Flange Head, .25
_	0000 000	.0				2112			20x1.00, Injector Mounting
3	5245 807	9				EWB			RETAINER, Fuel Injector
4	5245 724	10				EWB			INJECTOR, Fuel, Fuel
									, ,


SERIES
S = RT/10
S = GTS Coupe
X = GTS/Lemans

LINE D = Dodge


27 = Convertible 29 = Coupe

ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Fuel Module Figure 014-510



ITEM	PART	OTY		ernice	BODY	ENGINE	TDANC	TDIM	DESCRIPTION
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5200 5389	1							NUT, Fuel Pump Module
2	5201 8808	1							SEAL, Fuel Pump and Level Unit, Fuel Module
3	4897 433AA	1							MODULE KIT, Fuel Pump/Level U
4	4897 434AA	1							LEVEL UNIT KIT, Fuel
5	4897 498AA	1						·	FILTER KIT, Fuel, Module
6	4763 826	1							VALVE, Fuel Tank Rollover Safety Rollover
		,							
DGE CH	IRYSLER VIPER (S	3R)	BODY		ENGINE			RANSMIS	201011
RIES RT/10	LINE	= Dodge	ו טטם	onvertible	ENGINE	3.0L 10 Cyl. SF	EL D.		peed Manual



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	6035 666	8				EWB			SCREW, Hex Flange Head, .25-
									20x1.00, Throttle Body
2									THROTTLE BODY
	4763 766	1				EWB			Right
	4763 763	1				EWB			Left
3	4761 871AC	1			27	EWB			SENSOR PACKAGE, Throttle
									Position
4	4848 126	2				EWB			GASKET, Throttle Body To Intake
5	5245 749	1				EWB			MOTOR AND BODY, IACV, AIS
6	6035 666	1				EWB			SCREW, Hex Flange Head, .25-
									20x1.00, AIS
7	4778 637	1				EWB			MOTOR KIT, A.I.S., AIS Motor
									Consists of: 1-Motor, AIS Stepping
									2-Screw, AIS Motor 1-O-Ring,
									Throttle Body
8	5245 373	1				EWB			GASKET, A.I.S. Motor
9	4763 805	1							HOSE, A.I.S. Supply
10	5300 9672	1				EWB			CONNECTOR, Emission Hose,
									Elbow, Map Sensor

 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE


 S = RT/10
 D = Dod

 S = GTS Coupe
 X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Throttle Controls Figure 014-710



3 6035 666 2 EWB SCREW, Hex Flange Head 20x1.00 4 4763 764 1 EWB LINKAGE, Throttle Body 5 4287 736 1 RETAINER, Throttle Cable	2 4848 836AB 1 BRACKET, Accelerator Cable 3 6035 666 2 EWB SCREW, Hex Flange Head, .25-20x1.00 4 4763 764 1 EWB LINKAGE, Throttle Body 5 4287 736 1 RETAINER, Throttle Cable 6 4882 274 1 EWB SCREW, Adjusting, Linkage	TEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
2 4848 836AB 1 BRACKET, Accelerator Ca 3 6035 666 2 EWB SCREW, Hex Flange Hea 20x1.00 20x1.00 LINKAGE, Throttle Body 5 4287 736 1 RETAINER, Throttle Cable 6 4882 274 1 EWB SCREW, Adjusting, Linkage	2 4848 836AB 1 BRACKET, Accelerator Cable 3 6035 666 2 EWB SCREW, Hex Flange Head, .25-20x1.00 4 4763 764 1 EWB LINKAGE, Throttle Body 5 4287 736 1 RETAINER, Throttle Cable 6 4882 274 1 EWB SCREW, Adjusting, Linkage Adjusting										
3 6035 666 2 EWB SCREW, Hex Flange Hear 20x1.00 4 4763 764 1 EWB LINKAGE, Throttle Body 5 4287 736 1 RETAINER, Throttle Cable 6 4882 274 1 EWB SCREW, Adjusting, Linkage	3 6035 666 2 EWB SCREW, Hex Flange Head, .25- 20x1.00 4 4763 764 1 EWB LINKAGE, Throttle Body 5 4287 736 1 6 4882 274 1 EWB SCREW, Adjusting, Linkage Adjusting	1	4763 969	1							CABLE, Accelerator
20x1.00 4 4763 764 1 EWB LINKAGE, Throttle Body 5 4287 736 1 RETAINER, Throttle Cable 6 4882 274 1 EWB SCREW, Adjusting, Linkage	20x1.00 4 4763 764 1 EWB LINKAGE, Throttle Body 5 4287 736 1 RETAINER, Throttle Cable 6 4882 274 1 EWB SCREW, Adjusting, Linkage Adjusting	2	4848 836AB	1							BRACKET, Accelerator Cable
4 4763 764 1 EWB LINKAGE, Throttle Body 5 4287 736 1 RETAINER, Throttle Cable 6 4882 274 1 EWB SCREW, Adjusting, Linkage	4 4763 764 1 EWB LINKAGE, Throttle Body 5 4287 736 1 RETAINER, Throttle Cable 6 4882 274 1 EWB SCREW, Adjusting, Linkage Adjusting	3	6035 666	2				EWB			SCREW, Hex Flange Head, .25
5 4287 736 1 RETAINER, Throttle Cable 6 4882 274 1 EWB SCREW, Adjusting, Linkage	5 4287 736 1 RETAINER, Throttle Cable 6 4882 274 1 EWB SCREW, Adjusting, Linkage Adjusting										20x1.00
6 4882 274 1 EWB SCREW, Adjusting, Linkag	6 4882 274 1 EWB SCREW, Adjusting, Linkage Adjusting	4	4763 764	1				EWB			LINKAGE, Throttle Body
	Adjusting	5	4287 736	1							RETAINER, Throttle Cable
Adjusting	· · · ·	6	4882 274	1				EWB			SCREW, Adjusting, Linkage
	7 4606 041 1 EWB CLIP, Stud, Accelerator Cable										Adjusting
7 4606 041 1 EWB CLIP, Stud, Accelerator C		7	4606 041	1				EWB			CLIP, Stud, Accelerator Cable

 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE


 S = RT/10
 D = Dod

 S = GTS Coupe
 X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Air Cleaner Figure 014-810



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	HOMBER	۹.,	LINE	OLIVIED	БОБТ	LITOITE	TRAITO	1111111	DESCRIPTION
1									HOUSING, Air Inlet
	4848 054	2			27				
	4848 870AA	1			29				
2									HOUSING, Air Outlet
	5245 312	1			27				Air Outlet
		1			29				Air Outlet
3									TUBE, Air Cleaner to T/Body
	5245 778	2			27				Air Cleaner to Throttle Body
		2			29				Air Cleaner to Throttle Body
4									SCREW, Air Cleaner Cover
	5245 492	1			27				Air Cleaner to Shroud
		1			29				Air Cleaner to Shroud
5	4848 321AB	1							TUBE, Crankcase Vent To Air
									Cleaner, Crankcase Vent to Air
									Cleaner
6	6502 018	2							CLAMP, Hose, M28.9 x 1.60, AIS
									Hose
7	4763 805	1							HOSE, A.I.S. Supply, Air Cleaner
8									ELEMENT, Air Cleaner
	5245 266	1			27				Crankcase Vent Filter
		1			29				Crankcase Vent Filter
9									ELEMENT, Air Cleaner
	5245 265AB	2			29				Air Cleaner Filter
		2			27				Air Cleaner Filter
10	4848 313	2			29				SCREW, Air Cleaner
11	5245 455	1							HOSE, Crankcase Vent, Crankcase
		-							Vent to Air Cleaner

 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE

 S = RT/10
 D = Dod

 S = GTS Coupe
 X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Accelerator Pedal Figure 014-1110

	ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		NOMBER	WIT	LINE	SERIES	ן פטטז	ENGINE	CNAM	I IZIIVI	DESCRIPTION
	1	4763 022AB	1							PEDAL, Brake, Clutch, and Accelerator
	-2 -3	4201 048 6100 516	1 2							SEAL, Accelerator Shaft Bracket NUT, Hex Flange Lock, M6
										Phosphate
All the second of the second o										
AND THE STATE OF T										
The Man was a second of the se										
	DODGE CH SERIES S = RT/10	IRYSLER VIPER (S LINE D = 1	SR) E Dodge	BODY 27 = Co	nvertible	ENGINE	6.0L 10 Cyl. S All 8.0L Gas	TR FI DE	ANSMIS	SION beed Manual Manual
	S = RT/10 S = GTS C X = GTS/Le	coupe emans	- Douge	29 = Co	upe	EW0 = /	All 8.0L Gas	DE	3B = All N	Manual

Group – 016


Propeller Shafts and U-Joints


GROUP 16 - Propeller Shafts and U-Joints


Illustration Title Group-Fig. No.

Propeller Shaft


 Shaft, Propeller
 Fig. 016-110









Group – 017 Rear Suspension






GROUP 17 - Rear Suspension

Group-Fig. No. Illustration Title **Rear Suspension** Fig. 017-120 Suspension, Rear




	PART								
ITEM	NUMBER	QTY	LINE S	ERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	10.10 500	0							
1	4848 508	2							SHOCK ABSORBER, Suspensio
_	0400 400	0							Rear
2	0120 123	2							PIN, Cotter, .125X1.25
3	0152 349	4							NUT, Hex, .50-20
4	6502 337	2							NUT, M10x1.5
5	6035 641	2							NUT, Hex, .625-18
6	6101 063	4							SCREW AND WASHER, M10x1.
_									5x45
7	4763 159	2							LINK, Trailing Rear Suspension,
									Boot
8	6100 969	2							BOLT, Hex Flange Head, M14x2
									00x90
9	6504 189	2							SCREW, M14x2.00x127.00
10	6502 698	2							NUT, M14x2.0
11	4709 289	2							LINK, Rear Suspension Assist
12									SCREW, W/Washer M10x1.50x3
									00, (NOT SERVICED) (Not
									Serviced)
13	6502 556	2							NUT, Hex, M10-1.5
14	6100 219	2			29				NUT, Hex Jam, M10x1.5
15	4709 320	2							ARM, Control, Upper
16									ARM, Control
	4709 324	1							Lower, Right
	4709 325	1							Lower, Left
17	2269 232	4							CAM, Front Suspension Control
18	6502 585	4							NUT, Engine Mounting, M12 x 1.
19									SCREW, W/Washer M12x1.75x9
									00, (NOT SERVICED) (Not
									Serviced)
20	6100 219	2			29				NUT, Hex Jam, M10x1.5
21									SHIM, Tow Link To Frame
	4643 914	AR							(4U)
	4643 915	AR							(6U)
	4643 987	AR							(6D)
	4643 912	AR							(NOM)
	4643 913	AR							(2U)
	4643 985	AR							(2D)
	4643 986	AR							(4D)
22	4848 646	1							BAR, Rear Sway
23	4873 203	1			29				SPRING, Rear Coil
24	4709 316	2			20				BRACKET, Suspension, Rear Sh
25	4404 219	2							RETAINER, Sway Bar
26	4643 031	2							BUSHING, Sway Bar
20	4043 031	۷							BOSI IING, Sway Bai
DGE CH	RYSLER VIPER (SR) -							
RIES	LINI	Ξ΄.	BODY		ENGINE	01.40.0.1.0		TRANSMIS	
RT/10 GTS C		Dodge	27 = Conve 29 = Coupe			.0L 10 Cyl. S \ll 8.0L Gas		DEC = 6 S DBB = All I	peed Manual Manual
	emans		_5 = 50upc			J.J_ Juj		/ /	



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
27	6035 643	2							NUT, .562-18
28	0000 040								KNUCKLE, Rear
20	4709 281	1							Left
00	4709 282	1							Right
29	4848 174AB	4							BALL JOINT, Lower Control Arm
30	4709 309	2							ROD, Toe Link
-31	5012 650AA-	2							BUSHING, Shock Absorber
OGE CHI RIES	RYSLER VIPER (S LINE	R)	BODY		ENGINE			RANSMIS	


Group – 019 Steering



019–100 Steering Wheel	019–200 Steering Column	019–300 Steering Gear	019–400 Steering Linkage
			ê Name de la constant
019–500 Power Steering Pump			

GROUP 19 - Steering

Illustration Title	Group-Fig. No
Steering Wheel Wheel, Steering	Fig. 019-120
Steering Column Column Assembly And Mounting	Fig. 019-230
Steering Gear Gear, Rack & Pinion Power And Attaching Parts	Fig. 019-310
Steering Linkage Tie Rod Ends	Fig. 019-410
Power Steering Pump Pump And Hoses Power Steering	Fig. 019-510



019-120	•								
	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									WHEEL, Steering
	PB41 SX9	1							Flat Black
	PB41 TB4	1							Bright blue
2	PB41 TR1 LB45 JX8	1 1							Red AIR BAG, Driver, Air Bag
3	6503 771	3							SCREW, Hex Flange Head,
J	0000 771	J							M6x1x23
4									SWITCH, Horn, (Serviced with
									Wheel), (NOT SERVICED) (Not
									Serviced)
5	4848 437	1							CLOCKSPRING
6	6500 906	1							NUT, Hex Flange Lock, M14x1.5

 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE


 S = RT/10
 D = Dod

 S = GTS Coupe
 X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Column Assembly And Mounting Figure 019-230



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4874 334	1							COLUMN, Steering, Tilt, w/o Switchs
2	5207 9221	1							LEVER, Tilt Column Release
3	4763 861	1							SHAFT, Steering Column,
									Intermediate Gear To Column
4	6503 210	2							SCREW, Hex Flange Head, M10x1.
									5x35.
5	5DW5 7PX8	1							SHROUD, Steering Column, (Paint
									as Require), Lower
6	DH69 JX8	1	D						SHROUD, Lock Housing, (Paint as
									Require), Upper
7	BA67 KX8	1							SHROUD, Steering Column, Fixed
									(Paint as Required), Lower
8	BA65 KX8	1							SHROUD, Steering Column, Fixed
									(Paint as Required), Upper
9	4470 105	2							SCREW, Filister Head, #8-16x.25
10									SCREW, (NOT SERVICED) (Not
									Serviced)
11	6502 390	2							STUD, M6x1.00x43.80
12									WASHER, (NOT SERVICED) (Not
									Serviced)
13	6100 517	2							NUT, Hex Flange Lock, M8
									Phosphate, Steering Column to
									Toe Box Attch
14	6501 730	2							NUT, Retainer, M6 x 1.00
15	6101 308	2							NUT, U, M6x1
-16	5602 1346	1							SWITCH, Ignition
-17	6503 845	3							SCREW, Ignition Switch

 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE


 S = RT/10
 D = Dod

 S = GTS Coupe
 X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Gear, Rack & Pinion Power And Attaching Parts Figure 019-310



	PART										
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION		
-1	5203 7501	1							END, Tie Rod, Package		
-2	5203 7502	1							BOOT, Steering Gear, Package		
3	4709 489	1							GEAR, Power Steering, Rack and		
									Pinion Power		
4	6034 710	4							WASHER, Flat		
5	6033 181	2		S					BOLT, Hex Head, .625-11x3.75		
6	4117 796	1							NUT, Pivot Arm		
7	6035 643	2							NUT, .562-18		
8	0120 123	2							PIN, Cotter		
9	4642 116	4							ISOLATOR, Steering Gear, Gear		
									Mtg.		
10	4708 035	2							O RING, Steering Gear, Gear		
									Bushing		
11	4708 475	AR							SHIM, Steering Gear, 0.5mm		
-12	4708 070	AR							SHIM, Steering Gear, 1.0mm		
-13	4708 068	AR							SHIM, Steering Gear, 1.5mm		
-14	4708 069	AR						SHIM, Steering Gear, 3.0mm			

 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE


 S = RT/10
 D = Dod

 S = GTS Coupe
 X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

	PARI												
 ГЕМ	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION				
1	5203 7501	1							END, Tie Rod				
2	6035 643	2							NUT, .562-18				
3	0120 123	2							PIN, Cotter				
4									NUT, Jam (Service in Tie Rod End),				
									(NOT SERVICED) (Not Serviced)				



 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE


 S = RT/10
 D = Dod

 S = GTS Coupe
 X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Pump And Hoses, Power Steering Figure 019-510



	PART												
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION				
Note: Sales Code EWB= 8.0L V10 SFI													
1	4642 153	1				EWB			PUMP, Power Steering, w/o Pulley,				
									Reservoir, Cap (Just Pump)				
2	5245 799	1				EWB			BRACKET, Power Steering Pump,				
									Mounting				
3	6034 244	3				EWB			SCREW AND WASHER, Hex Head,				
									.312-18x3.50, w/Washer Pump To				
									Bracket				
4	6035 558	3				EWB			SCREW, Hex Flange Head, .375-				
									16x1.50, w/Washer Bracket To				
									Engine				
5	4796 473	1				EWB			CAP, Power Steering Reservoir				
6	4848 104	1							HOSE, Power Steering Pressure				
7	4642 601	1							HOSE, Power Steering Return				
8	2448 761	2							CLAMP, Hose, Return Hose				
9	5301 1017	1				EWB			PULLEY, Power Steering Pump				
10	4848 617	1							COOLER, Power Steering				
11	3879 925	1							HOSE, Power Steering Return,				
									Pump To Cooler				
12	6022 202	2							SCREW AND WASHER, Hex Head,				
									.25-20x.625				
-13	8350 3495	1				EWB			RESERVOIR, Power Steering Pump				

 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE


 S = RT/10
 D = Dod

 S = GTS Coupe
 X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Group - T56 Manual Transmission 6 Speed



T56-100 Transmission	T56–200 Case & Extension	T56–300 Transmission Mounting	T56-400 Gear Train
			00000
T56–900 Forks and Rails	T56-1200 Gear Shift Controls		
The state of the s			


GROUP T56 - Manual Transmission 6 Speed

Illustration Title	Group-Fig. No
Transmission	
Transmission Assembly	Fig. T56-110
Case & Extension Case And Extension	Fir. T50 240
	Fig. T56-210
Transmission Mounting Transmission Mounting	Fig. T56-310
Gear Train Gear Train	Fig. T56-410
Forks and Rails Shift Forks, Rails, Miscellaneous Parts	Fig. T56-910
Gear Shift Controls	
Gear Shift	Fig. T56-1210

Transmission Assembly Figure T56-110

	ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	NOTE: DE	EC - 6 Spd Ma	anual Tr	ans						_
	1	4882 823	1					DEC	TRANSA	MISSION, 6 speed
(1)										
	DODGE CHRY SERIES	YSLER VIPER (S	SR) -	BODY	over the la	ENGINE	01.40.004.00	TR	ANSMISSION	
	S = GTS Cou X = GTS/Lem	YSLER VIPER (S LINE D = I ipe nans	Douge	BODY 27 = Co 29 = Co	upe	EW0 = 8.	0L 10 Cyl. SI Il 8.0L Gas	DB	ANSMISSION CC = 6 Speed Manua BB = All Manual	11

Case And Extension Figure T56-210



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE; [DEC - 6 Spd Ma	anual Tr	ans						
1	4626 460	1					DEC		CASE, Transmission
2	4626 591	1					DEC		PLUG, Oil Fill, Drain
3	4626 511	1					DEC		ADAPTER, Transmission, Front
4	4886 337AA	1					DEC		CASE, Transmission Rear, Rear
5	4626 461	2					DEC		STUD, Extension
6	4626 568	2					DEC		NUT, Transmission Case, Rear
									Housing
-7	4626 513	2					DEC		DOWEL, Transmission Case, Front
									Case Adapter Dowel
-8	4626 514	2					DEC		DOWEL, Transmission Case, Hollo
-9	4626 515	1					DEC		SEAL, Input Shaft, Input Shaft
-10	4626 520	6					DEC		BOLT, Transmission Case
-11	4626 567	1					DEC		MAGNET, Transmission
-12	4626 520	6					DEC		BOLT, Transmission Case
-13	4626 573	1					DEC		BREATHER, Transmission Case
-14	4626 591	1					DEC		PLUG, Oil Fill, Front Adapter
									Inspection
-15	4626 592	1					DEC		VENT, Transmission Pipe
-16	4626 570	1					DEC		CLIP, Vent Tube, Vent Tube
17	4531 216	1					DEC		SEAL, Extension Yoke, Rear

 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE


 S = RT/10
 D = Dod

 S = GTS Coupe
 X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Transmission Mounting Figure T56-310



		PART								
_	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	1	4763 813	1							CROSSMEMBER, Transmission,
_										Transmission Mounting
	2	6502 696	3							NUT, Hex Flange Lock, M10x1.5
	3	6501 596	2							SCREW AND WASHER, Hex Head,
										M10x1.5x45, w/ WASHER (M10x1.
										50x45.00)
	4	4643 318	1							MOUNT, Transmission, Transmission
	5	6101 707	2							BOLT, M10x1.50x75
	6	6503 571	12							SCREW AND WASHER, M10x1.
										50x35
	7	4642 876	1							PLATE, Floor Console

 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE


 S = RT/10
 D = Dod

 S = GTS Coupe
 X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Gear Train Figure T56-410



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		•		•					
NOTE:	DEC - 6 Spd M	anual Ti	rans						
1	4626 574	1					DEC		INPUT SHAFT PACKAGE,
									Transaxle, w/Bearing
2	4626 737	1					DEC		BEARING PACKAGE, Input Shaft
3	4626 476	2					DEC		STOP RING, Synchronizer, 3rd and
									4th Synchro
4	4626 736	1					DEC		BEARING PACKAGE, Mainshaft,
									Front
5	4626 487	1					DEC		SNAP RING
6	4626 474	3					DEC		STRUT, Synchronizer
-7	4626 475	2					DEC		SPRING, 3rd And 4th Synchronizer
8	4626 471	1					DEC		GEAR, Third
9	4626 469	1					DEC		NEEDLE BEARING, Third Gear
-10	4626 470	1					DEC		SPACER, Third Gear
11	4626 549	1					DEC		BEARING CONE, Idler Gear,
									Reverse
12	4626 467	1					DEC		MAINSHAFT, Transmission
13	4626 469	1					DEC		NEEDLE BEARING, Third Gear, 2nd
4.4	4000 470	4					DEO		Speed Needle
14	4626 478	1					DEC DEC		GEAR, Second
15 16	4626 564 4626 484	1 2					DEC		SNAP RING, Mainshaft FRICTION CONE, Second Gear
16	4020 404	2					DEC		Inner
17	4626 485	2					DEC		FRICTION CONE, Second Gear
17	4020 400	2					DLO		Inner
18	4626 483	2					DEC		RING, 1st and 2nd Speed Blocker
19	4626 481	3					DEC		KEY, Synchronizer
-20	4626 482	2					DEC		SPRING, Synchronizer
21	4626 536	1					DEC		SNAP RING
22	4626 487	1					DEC		SNAP RING
23	4626 488	1					DEC		NEEDLE BEARING, First Gear, 1st
									Speed Needle
24	4626 489	1					DEC		GEAR, First
25	4626 734	1					DEC		BEARING PACKAGE, Mainshaft,
									Rear
-26	4626 486	2					DEC		THRUST WASHER, First And
									Second Gear
-27	4626 552	1					DEC		GEAR, Fifth, 5th - 6th Speed Driven
-28	4626 474	3					DEC		STRUT, Synchronizer
-29	4626 534	2					DEC		SPRING, Synchronizer
-30	4626 554	1					DEC		RETAINER, Reverse Syncro
-31	4626 555	1					DEC		WASHER, Reverse Thrust

 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE


 S = RT/10
 D = Dod

 S = GTS Coupe
 X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Gear Train Figure T56-410



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-	· ·								
-32	4626 556	1					DEC		WASHER, Reverse Wave
-33	4626 557	<u>·</u> 1					DEC		RING, Reverse Blocker
-34	4626 536	1					DEC		SNAP RING
-35	4626 558	1					DEC		NEEDLE BEARING, Reverse Gear
-36	4626 559	1					DEC		GEAR, Reverse
-37	4626 560	1					DEC		WASHER, Reverse Thrust
-38	4626 562	2					DEC		WASHER, Mainshaft
-39	4626 563	1					DEC		NEEDLE BEARING, Mainshaft Rear
-40	4626 564	1					DEC		SNAP RING, Mainshaft, Bearing
									Race
-41	4626 536	1					DEC		SNAP RING, Mainshaft Rear
-42	4626 565	3					DEC		SNAP RING, Speedo, Yoke Stop
-43	4626 566	1					DEC		ROTOR, Speedometer
44	4626 735	1					DEC		BEARING PACKAGE, Countershaft,
									Front
45	4626 464	1					DEC		GEAR, Cluster
46	4626 733	1					DEC		BEARING PACKAGE, Countershaft,
									Rear
47	4626 539	1					DEC		GEAR, Sixth
48	4626 538	1					DEC		BEARING, Sixth Gear
49	4626 474	3					DEC		STRUT, Synchronizer
-50	4626 534	2					DEC		SPRING, Synchronizer
-51	4626 535	2					DEC		STOP RING, Synchronizer
-52	4626 536	1					DEC		SNAP RING
53	4626 531	1					DEC		GEAR, Countershaft Fifth
-54	4626 530	1					DEC		NEEDLE BEARING, Fifth Gear
55	4626 529	1					DEC		GEAR, Countershaft
56	4626 736	1					DEC		BEARING PACKAGE, Mainshaft,
									Countershaft Extension
-57	4626 537	1					DEC		SPACER, Sixth Gear
-58	4626 541	1					DEC		THRUST WASHER, Sixth Gear
-59	4626 545	1					DEC		FUNNEL, Counter Shaft, Extension
-60	4626 547	1					DEC		IDLER SHAFT, Transmission,
									Reverse
-61	4626 548	1					DEC		GEAR, Reverse Idler
-62	4626 550	1					DEC		WASHER, Reverse Idler
-63	4626 527	2					DEC		BOLT, Reverse Idler Bracket
-64	4626 551	1					DEC		BRACKET, Reverse Idler Shaft


DODGE CHRYSLER VIPER (SR) SERIES LINE


S = RT/10 S = GTS Coupe X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas


Shift Forks, Rails, Miscellaneous Parts Figure T56-910






EC - 6 Spd M 4626 498 4626 499 4626 502 4626 502 4626 502 4626 492 4626 496 4626 540 4626 540 4626 493	anual Tr 1 1 2 1 2 1 2 1 2 1 1	rans	SERIES	BODY	ENGINE	DEC DEC DEC DEC DEC	TRIM	RAIL, Top, Top Shift FORK, Third and Fourth PAD, Shift Fork, 3rd - 4th Shift F
4626 498 4626 499 4626 502 4626 505 4626 502 4626 492 4626 553 4626 496 4626 540 4626 493	1 1 2 1 2 1 1 1 2	rans				DEC DEC		FORK, Third and Fourth PAD, Shift Fork, 3rd - 4th Shift F
4626 499 4626 502 4626 502 4626 492 4626 553 4626 496 4626 540 4626 493	1 2 1 2 1 1 2					DEC DEC		FORK, Third and Fourth PAD, Shift Fork, 3rd - 4th Shift F
4626 502 4626 505 4626 502 4626 492 4626 553 4626 496 4626 540 4626 540	2 1 2 1 1 2					DEC		PAD, Shift Fork, 3rd - 4th Shift F
4626 505 4626 502 4626 492 4626 553 4626 496 4626 540 4626 493	1 2 1 1 2							
4626 502 4626 492 4626 553 4626 496 4626 540 4626 493	2 1 1 2					DEC		
4626 492 4626 553 4626 496 4626 540 4626 493	1 1 2							FORK, First and Second
4626 553 4626 496 4626 540 4626 493	1 2					DEC		PAD, Shift Fork, 1st - 2nd Shift F
4626 496 4626 540 4626 493	2					DEC		RAIL, Reverse Shift
4626 540 4626 493						DEC		FORK, Transmission, Reverse
4626 540 4626 493						DEC		PAD, Shift Fork, 5th, 6th and
4626 493	1							Reverse
4626 493						DEC		FORK, Fifth Shift, 5th and 6th SI
	1					DEC		PIN, Roll, Reverse Collar
4626 494	1					DEC		COLLAR, Reverse Shift
								LEVER, Fifth and Sixth, w/
1020 100	•					DLO		BUSHING
4626 497	1					DEC		LEVER, Reverse
								PIN, Roll, Reverse Lever
								PLATE, Shift, 1st - 2nd and 3rd
4020 303	'					DLC		Shift
4626 F06	4					DEC		
								ARM, Gearshift Selector
								PIN, Roll, Selector Arm
4626 507	1					DEC		PLATE, Transmission Module,
4000 500	4					DEO		Interlock
								BOLT, Shift Lever Guide
								BUSHING, Shift Rail, Top Shift F
4626 521	1					DEC		PLATE, Transmission Shifter, Gu
								6th Speed
								LEVER, Offset, Offset Front
								SPRING, Detent Offset
								BALL, Check, Offset Detent
	2							BOLT, Guide Plate
	1							LEVER, First and Fourth
								PIN, Roll, Skip Shift
	1							PIN, Roll, Front Offset Lever
4626 542	1					DEC		SNAP RING, Shift Fork, 5th - 6th
						_		Shift Fork
4626 512	1							BUSHING, Shift Rail, Top Shift F
4626 561	1					DEC		SNAP RING, Shift Fork, Reverse
								Fork
4626 569	1					DEC		PLATE, Transmission Shifter, Fr
								Shifter Cover
4626 571	4					DEC		BOLT, Shifter Cover, Front Shifter
								Cover
		BODY		ENGINE		TR	ANSMIS	SION
D =		27 = Cc		EWB = 8	•	SFI DE	$C = 6 S_1$	peed Manual
	4626 495 4626 497 4626 493 4626 503 4626 506 4626 493 4626 507 4626 512 4626 521 4761 999 4626 523 4626 526 4626 527 4626 528 4626 493 4626 493 4626 542 4626 512 4626 561 4626 561 4626 571	4626 495 1 4626 497 1 4626 493 1 4626 503 1 4626 506 1 4626 507 1 4626 507 1 4626 512 1 4626 521 1 4761 999 1 4626 523 1 4626 523 1 4626 523 1 4626 524 1 4626 527 2 4626 528 1 4626 528 1 4626 493 1 4626 542 1 4626 542 1 4626 542 1 4626 561 1 4626 571 4 4626 571 4 4626 571 4 4626 571 4	4626 495 1 4626 497 1 4626 493 1 4626 503 1 4626 506 1 4626 507 1 4626 507 1 4626 512 1 4626 521 1 4761 999 1 4626 523 1 4626 523 1 4626 528 1 4626 528 1 4626 528 1 4626 542 1 4626 542 1 4626 542 1 4626 561 1 4626 561 1 4626 571 4 **SLER VIPER (SR) D = Dodge Period (SR) D = Dodge Period (SR) D = Dodge Dodge Period (SR) D = Dodge Period (SR) D = Dodge Dodge Period (SR) D = Dodge Period (SR) D	1626 495 1 4626 497 1 4626 493 1 4626 503 1 4626 506 1 4626 507 1 4626 508 1 4626 512 1 4626 521 1 4761 999 1 4626 523 1 4626 526 1 4626 527 2 4626 528 1 4626 493 1 4626 493 1 4626 542 1 4626 542 1 4626 561 1 4626 569 1 4626 571 4 CSLER VIPER (SR) D = Dodge Dodge D = Coupe BODY 27 = Convertible 29 = Coupe	14626 495	14626 495	#626 495	#626 497

Shift Forks, Rails, Miscellaneous Parts Figure T56-910





-34	ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-35									l	
Transmission -36	-34	4626 577	1					DEC		HOUSING, Shift
-36 4626 571 4 DEC BOLT, Shifter Cover -37 4626 579 1 DEC LEVER, Offset, Rear -38 4626 493 1 DEC PIN, Roll, Rear Offset Lever -39 4626 586 1 DEC SNAP RING, Reverse Inhibit Reverse Lockout Reverse Lockout -40 4626 587 1 DEC O RING, Reverse Inhibitor, Notes and the properties of the proper	-35	4626 578	1					DEC		O RING, Shift Detent Housing,
-37 4626 579 1 DEC LEVER, Offset, Rear -38 4626 493 1 DEC PIN, Roll, Rear Offset Lever -39 4626 586 1 DEC SNAP RING, Reverse Inhibited Reverse Lockout -40 4626 587 1 DEC O RING, Reverse Inhibitor, Notes and the properties of the properties										Transmission
-38 4626 493 1 DEC PIN, Roll, Rear Offset Lever -39 4626 586 1 DEC SNAP RING, Reverse Inhibite Reverse Lockout -40 4626 587 1 DEC O RING, Reverse Inhibitor, Notes and the properties of the properties o	-36	4626 571	4					DEC		BOLT, Shifter Cover
-39	-37	4626 579	1					DEC		LEVER, Offset, Rear
Reverse Lockout	-38	4626 493	1					DEC		PIN, Roll, Rear Offset Lever
-40 4626 587 1 DEC O RING, Reverse Inhibitor, Modern Programment -41 4626 588 1 DEC LEVER, Gearshift -42 4626 578 1 DEC O RING, Shift Detent Housing	-39	4626 586	1					DEC		SNAP RING, Reverse Inhibitor,
Transmission, Reverse Local DEC LEVER, Gearshift -42 4626 578 1 DEC O RING, Shift Detent Housing										Reverse Lockout
-41 4626 588 1 DEC LEVER, Gearshift -42 4626 578 1 DEC O RING, Shift Detent Housing	-40	4626 587	1					DEC		O RING, Reverse Inhibitor, Manua
-42 4626 578 1 DEC O RING, Shift Detent Housin										Transmission, Reverse Lockout
	-41	4626 588	1					DEC		LEVER, Gearshift
	-42	4626 578	1					DEC		O RING, Shift Detent Housing,
Transmission										Transmission


DODGE CHRYSLER VIPER (SR) SERIES LINE

S = RT/10 S = GTS Coupe X = GTS/Lemans

D = Dodge


BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas


Gear Shift Figure T56-1210



ITEM	PART	ОТУ	LINE	OFDIFO	DODY	ENGINE	TDANO		DECORPTION
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									KNOB, Gearshift
	HD42 1KA	1							Carmel-Tan
	HD42 LX9	1							Flat Black
	HD42 SB4	1							Bright Blue
	HD42 SR1	1							Red
	4709 410	1							ISOLATOR, Shift Lever
3	0124 934	1							NUT, Hex Jam, .50-20, Lock (.500-
									20)
									_
DODGE CHR	YSLER VIPER (S	SR) -							
SERIES	LINE		BODY	nvertible	ENGINE	01 10 0 1 0	TF D'	RANSMIS	SION
S = RT/10 S = GTS Cou	ıpe	Dodge	27 = Co 29 = Co	upe	EW0 = 8	.0L 10 Cyl. S III 8.0L Gas	DI	=C = 6 S BB = All I	oeed Manual Manual
X = GTS/Len	nans			•					

Group – 022 Wheels, Covers and Jacks





GROUP 22 - Wheels, Covers and Jacks


Illustration Litle	Group-Fig. No
Wheels and Hardware Wheels And Hardware	Fig. 022-110
Wheel Covers and Center Caps Caps, Wheel	Fig. 022-210
Jack Stowage Jack Stowage	Fig. 022-310
Spare Tire Stowage Wheel, Spare	Fig. 022-410

Wheels And Hardware Figure 022-110


		ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	!	2 3	MC25 PAK MC25 PYM MC36 PAK MC36 PYM QV40 SZ2AA QV41 SZ2AA 6034 958 4708 167 2073 355								WHEEL, Aluminum Silver, Front Gold, Front Silver, Rear Gold, Rear Polished Aluminum, Front Polished Aluminum, Rear NUT, Hex, .50-20, Wheel TOOL, Wheel Cap Removal STEM, Wheel Valve
	!										
	ļ ļ										
3)	!										
	l	DODGE CHR SERIES S = RT/10 S = GTS Cou X = GTS/Len	YSLER VIPER (S LINE D = upe nans	SR) - E Dodge	BODY 27 = Cor 29 = Cou	nvertible upe	ENGINE EWB = 8. EW0 = A	.0L 10 Cyl. S Ill 8.0L Gas	TR FI DE DE	ANSMISS EC = 6 Sp BB = All M	SION peed Manual Manual

Caps, Wheel Figure 022-210

					ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
			 · · · · · · · · · · · · · · · · · · ·	ı	1									CAP, Wheel Center
	1					MC48 PAK MC48 PYM MC48 SY4 PU30 SZ2AE	4			27 27 27				Silver [WFS] Gold [WFS] Yellow [WFS] Aluminum [WFL]
1				l										
1				l										
1				I										
l				l										
ı				I										
		; ' <u>'</u>												
ı				l										
I				I	DODGE CHE SERIES	RYSLER VIPER (: LINI D =	SR) - E	BODY		ENGINE		TR	ZANSMIS	SION
Ĺ					S = RT/10 S = GTS Co X = GTS/Let	D = pupe mans	Dodge	BODY 27 = Cor 29 = Cou	nvertible ipe	EWB = 8. EW0 = A	.0L 10 Cyl. S \ll 8.0L Gas	FI DE	EC = 6 Sp BB = All M	SION leed Manual fanual



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4512 493	1							WINGNUT, Jack and Tire Hold
<u> </u>	4512 493	<u> </u>							Down, Jack Hold Down
2	4695 774	1							JACK, Scissor
-3	4033 774	'							BELT, Jack Stowage
-3	4848 696	2			29				DEET, Jack Glowage
	+0+0 000	2			27				
4	4341 383	1			21				WRENCH, Wheel Lug Nut
5	4708 167	1							TOOL, Wheel Cap Removal
6	4708 107	1							LABEL, Tire Storage, Jacking
	4700 007	ı							Instructions
-7	5256 549	1							BAG, Jack Tool Storage, Tool Stowage



022-410									
ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4512 493	1							WINGNUT, Jack and Tire Hold
2	4708 210	1							Down, Tire Hold Down RETAINER, Spare Tire, Spare Wheel Mounting
3	4643 212	1							WHEEL, Spare, Mini-Spare,
4	6033 599	1							Aluminum BOLT, .375-16x3.75, Spare Tire Stowage
-5	LB98 SX9AB	- 1			29				COVER, Spare Tire, Spare Tire
									_

DODGE CHRYSLER VIPER (SR)
SERIES LINE
S = RT/10 D = Dodge
S = GTS Coupe
X = GTS/Lemans


BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas


TRANSMISSION
DEC = 6 Speed Manual
DBB = All Manual

AR = Use as required -= Non illustrated part # = New this model year

Group – 23D

Wiper/Lock Cylinder and Keys








GROUP 23D - Wiper/Lock Cylinder and Keys


Illustration Title	Group-Fig. No
Lock Cylinders and Keys	
Lock Cylinders and Keys	Fig. 23D-110
Windshield Wiper and Washer Systems	
Windshield Wiper and Washer	Fig. 23D-210


Lock Cylinders and Keys Figure 23D-110














ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	-								
NOTE: A	All Lock Cylinde	rs are U	Incoded						
1	4883 828AA	1			29				KEY, Ignition, Snake Head Logo
2	5507 5487	1							KEY, Blank
3	4897 986AA	1							CYLINDER, Ignition Lock
4	4778 117	1			27				TUMBLER, Door and Deck Number
									1, Wide, Also Ignition
-5	4778 118	1			29				TUMBLER, Door and Deck Number
									2, Wide, Also Ignition
-6	4778 119	1			29				TUMBLER, Door and Deck Number
									3, Wide, Also Ignition
-7	4778 120	1			29				TUMBLER, Door and Deck Number
									4, Wide, Also Ignition
8	4778 121	1			27				SPRING, Door and Deck Tumbler,
									Also Ignition
9	4778 147	1							CYLINDER, Deck Lid Lock, Also
									Ignition
10	4778 117	1							TUMBLER, Door and Deck Number
									1, Wide
-11	4778 118	1							TUMBLER, Door and Deck Number
									2, Wide
-12	4778 119	1							TUMBLER, Door and Deck Number
									3, Wide
-13	4778 120	1							TUMBLER, Door and Deck Number
									4, Wide
14	4778 121	1							SPRING, Door and Deck Tumbler
15	4746 903	1							CYLINDER, Glove Box Lock
16	5257 132	1							TUMBLER, Ignition Number 1, Glo
									Box Only, Not Ignition
-17	5257 133	1							TUMBLER, Ignition Number 2, Glo
									Box Only, Not Ignition
-18	5257 134	1							TUMBLER, Ignition Number 3, Glo
									Box Only, Not Ignition
-19	5257 135	1							TUMBLER, Ignition Number 4, Glo
									Box Only, Not Ignition
20	4746 873	1							SPRING, Lock Cylinder Tumbler,
									Glove Box Only, Not Ignition
21	4054 202	1							NUT, Cylinder Lock
22	4848 692	1			29				GASKET, Key Cylinder Isolator,
									Decklid,w/Foam
23	5257 163	1							CAP, Lock Cylinder, Decklid, Brigh
24	3695 321	1							GASKET, Lock Cylinder
25	4740 757	1			29				CAP, Ignition Cylinder, Black Plast
26	4778 151	1							SHUTTER, Door, Deck Lid, Black
	RYSLER VIPER (S	•							
ERIES = RT/10	LINE D =	: Dodge	BODY 27 = Co	nvertible	ENGINE FWB = 8	.0L 10 Cyl. S		TRANSMIS	SION peed Manual
= GTS C		Douge	27 = C0 29 = Co			.uL 10 Cyl. 3		DBB = All N	


Lock Cylinders and Keys Figure 23D-110


PART















DODGE CHRYSLER VIPER (SR) SERIES

S = RT/10S = GTS Coupe X = GTS/Lemans D = Dodge

BODY 27 = Convertible 29 = Coupe

ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Windshield Wiper and Washer Figure 23D-210



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	6101 445	2							NUT AND WASHER, Hex Nut-Coned
									Washer, M8 x 1.25, Wiper Arm
									Attaching
2									ARM, Wiper
	4848 830	1							Right
	4848 831	1							Left
3	4642 532	1							BLADE, Wiper
4	HWV0 0532	1							HOSE, Washer And Vacuum, 50
									Foot Roll 5/32"
5	4805 010	1							CHECK VALVE, Washer
6	4643 877	1							CONNECTOR, Washer Hose, In Line
7	4708 009	2							SEAL, Wiper Motor
8									MOTOR, Wiper
	4643 065	1							Right
	4708 171	1							Left
9	6101 780	6							SCREW, M6x1x25, Wiper Motor
									Attaching
10	4874 876	1							RESERVOIR, Washer
11	4797 694	1							CAP, Washer Reservoir, Reservoir
12	0181 063	3							SCREW AND WASHER, .25-20x.75
-13	4798 779	1							GROMMET, Windshield Washer
									Pump
14	4864 634	1							PUMP, Washer, Windshield, with
									Seal
15	4848 291	1							SWITCH, Windshield Wiper, without
									Bracket

 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE

 S = RT/10
 D = Dod


 S = GTS Coupe
 X = GTS/Lemans


D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Group – 024

Air Conditioning & Heater






GROUP 24 - Air Conditioning & Heater


illustration little	Group-Fig. No.
Air Conditioner and Heater Units	
Blower Motor	Fig. 024-110
Hevac Unit	Fig. 024-120
Air Conditioner and Heater Plumbing	
Heater Plumbing	Fig. 024-210
Plumbing, A/C Unit	Fig. 024-220
Air Conditioner and Heater Controls	
Control Assembly	Fig. 024-310
Air Conditioning Compressor	
Compressor, A/C	Fig. 024-410
Air Ducts and Outlets	
Vents And Outlets	Fig. 024-610

Blower Motor Figure 024-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
11 - 141	NOMBLK	<u> </u>	LINL	JERIES	ВОВТ	LINGINE	TRANS	TIXIIVI	DESCRIPTION
1	4763 858AB	1							PLENUM, Blower Motor Inlet, Inlet,
2									w/Seal, Blower Motor SCREW, (NOT SERVICED) (Not
									Serviced)
3									SCREW, (NOT SERVICED) (Not Serviced)
4	4848 021	1							BLOWER, w/Scroll, Blower
5	6100 047	1							NUT AND WASHER, Hex Nut-Cone Washer, M6 x 1.00
-6	4874 453	1							RESISTOR, Blower Motor, Motor
DIGE CHR	YSLER VIPER (S LINE	SR) -	BODY		ENGINE		т.	RANSMIS	SION

Hevac Unit Figure 024-120



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4874 423	1							HOUSING, A/C And Heater
-2	4763 972AB-	1							DUCT, A/C And Heater,
									Recirculating
-3	4874 425	6							CLIP, Spring
4	4874 422	1							COVER, Heater, Actuator
5	4874 375	1							ACTUATOR, Heater Door
6	4874 376	1							ACTUATOR, Fresh Air Door
-7	4848 515	1							ACTUATOR, Recirculation Door,
									Vacuum
8	4874 377	1							HARNESS, A/C And Heater Vacuu
9	4708 364	1							WIRING, Heater and A/C,
									Thermostat
10	4708 205	1							THERMOSTAT, Air Conditioning
11	4874 421	1							BRACKET, Heater Core
12	4874 374	1							CORE, Heater, w/Seals
13	4708 196	1							EVAPORATOR, Air Conditioning
14	4709 102	1							VALVE, A/C Expansion, Exspansion
15	4874 424	1							SEAL KIT, A/C And Heater Unit,
									Seal

 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE


 S = RT/10
 D = Dod

 S = GTS Coupe
 X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe

ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE:									
Sales Co	odes:								
EWB = 8	3.0L V10 SFI								
1	4642 554	1							VALVE, Water Control
2	4643 381	1							CABLE, A/C And Heater Control,
									Heater Control
3	4642 555	1							HOSE, Water Valve To Heater Core,
									Valve to Core
4	6502 017	2							CLAMP, Heater Hose
5	6035 728	2							SCREW, .190-16x1.00
6	4763 974	1				EWB			HOSE, Engine to Water Valve
7	4763 975	1				EWB			HOSE, Heater Core To Engine
-8	5245 458	1				EWB			TUBE, Heater Return, Heater Return
9	32003 300AB	2							CLAMP

 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE


 S = RT/10
 D = Dod

 S = GTS Coupe
 X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Plumbing, A/C Unit Figure 024-220



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5245 035	1							LINE, A/C Suction
2	4796 564	1							O RING, A/C Line, 5/8 inch
3	4740 361	1							O RING, A/C Line
-4	5011 346AA-	1							VALVE CORE, Service Port
5	6035 583	2							CLIP, Wrap Around
6	5264 642	1							CAP, A/C Check Valve
7	4848 164	1							LINE, A/C Liquid
8	5114 529AA	1							O RING, A/C Line, Drier
9	5114 528AA	1							O RING, A/C Line, Condenser
-10	5011 346AA-	1							VALVE CORE, Service Port
11	5072 866AA	1							CAP, A/C Charge Valve
12	5245 036	1							LINE, A/C Discharge
13	4796 565	2							O RING, A/C Line
14	4709 099	1							CLIP, Discharge Line, 1/2"
15	4708 201	1							RECEIVER DRIER, w/Bracket
16	5264 650	1							DECAL, A/C System Specification,
									English
17	4708 204	1							SWITCH, Dual Pressure
-18	4848 672	1							TUBE, Filter Drier to Evaporator, w/
									Switch, Tube/Harness
19	4708 206	1							CONDENSER, Air Conditioning, w/
									Bushings
20	4708 365	1							HOSE, Drain, Drain
21	4709 377	1							BRACKET, A/C Condenser, Upper

 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE

 S = RT/10
 D = Dod

 S = GTS Coupe
 X = GTS/Lemans


D = Dodge

BODY 27 = Convertible 29 = Coupe

ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas


Control Assembly Figure 024-310

	ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM DESCRIPTION
		-		.	1				
	2	5245 298	1						CONTROL, A/C And Heater, Temperature KNOB, Temperature Control, Serviced in Control, (NOT
									SERVICED) (Not Serviced)
род									
(2)									
	DODGE CH	RYSLER VIPER (SR)						
	SERIES S = RT/10 S = GTS Co X = GTS/Le	RYSLER VIPER (: LINI D = oupe emans	E Dodge	BODY 27 = Co 29 = Co	onvertible oupe	ENGINE EWB = 8.1 EW0 = A	0L 10 Cyl. Sl ll 8.0L Gas	TR FI DE DE	ANSMISSION EC = 6 Speed Manual BB = All Manual



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE:	la a .								
Sales Coo	les: 0L V10 SFI								
	4848 584	1				EWB			COMPRESSOR, Air Conditioning
	6034 244	4				EWB			SCREW AND WASHER, Hex Head,
									.312-18x3.50
3	4882 801	1				EWB			MANIFOLD KIT, A/C Compressor
-4	4728 854	1				EWB			SEAL, Manifold To Compressor
	4897 330AA	1				EWB			PULLEY HUB KIT, A/C Compressor
-6	5264 452	1				EWB			CLUTCH OVERHAUL KIT, A/C
_	1000 000					514 (5)			Compressor
-7	4882 802	1				EWB			COIL, Stator, A/C Compressor Clutch
	YSLER VIPER (S								
SERIES S = RT/10	LINE D = I	Dodge	BODY 27 = Co	nvertible	ENGINE EWB = 8	.0L 10 Cyl. S		RANSMIS EC = 6 Si	SION peed Manual
S = GTS Cou	ipe		29 = Co			All 8.0L Gas		BB = All N	
X = GTS/Lem	iai i5								

Vents And Outlets Figure 024-610



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
4	4400 400	0							AID OUTLET Heater and A/C Air
1	4462 469	3							AIR OUTLET, Heater and A/C, Air Outlet
2	4643 122	1							DUCT, Air Outlet, Left, Heater, Left
3	1010122	•							SCREW, Self Tapping, M4.2x1.
Ü									69x19.05
	6032 723	2			29				
		2			27				
4	4848 764	1							ADAPTER, Defroster Duct, Defroster Duct
5	4763 113	1							VENT, A/C Duct Right, Right Duct
6	4763 111	1							VENT, A/C Duct Left, Left Duct

 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE

 S = RT/10
 D = Dod


 S = GTS Coupe
 X = GTS/Lemans


D = Dodge


BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Group – 025 Emission Systems

025-100








GROUP 25 - Emission Systems

Illustration Title	Group-Fig. No
Emission Labels	
Emission Labels	Fig. 025-110
Vacuum Canister	
Vacuum Canister	Fig. 025-310
Emission Harness	
Emission Harness	Fig. 025-410


	1		
	VEHICLE EMISSION CONTROL	INFORM	ATION
	THIS VEHICLE CONFORMS TO REGULATIONS APPLICABLE TO YEAR NEW MOTOR VEHICLES AT	MODE	L
	*BASIC IGNITION TIMING AND IDLE FUEL/AIR MIXTURE HAVE BEEN PRESET AT THE FACTORY. SEE THE SERVICE MANUAL FOR PROPER PROCEDURES AND OTHER ADDITIONAL INFORMATION.	LITER MCR2.5V5HHP7 MCRVB	SPARK PLUGS
	*ADJUSTMENTS MADE BY OTHER THAN APPROVED SERVICE MANUAL PROCEDURES MAY VIOLATE FEDERAL AND STATE LAWS.	IDLE + TIMING BTC	MAN
YST	CAUTION: APPLY PARKING BRAKE WHEN SERVICING VEHICLE	NO OTHER ADJ	USTMENTS NEEDED
CATALYSI	ELECTRIC EGR TRANSDUCER MAP SENSOR PURGE SOLENOID	FILTER	10 CRUIBE CONTROL POWER BRAKE BOOSTER
	PRESSURE ESPAYALVE	HEATED AIR DIAPH	TO HEATER A/C CONTROL
	CHECK ORIFICE TO MIARE MANIFOLD PCV VALVE	TO AIR CLEANER	VIED AR P SEMSOR
CHRYSLER CORPORATION	PRESSURE RELIEF/ ROLLOVER VALVE FUEL TANK	TO AIR CLEAM	AIR INJECTION ASPIRATOR TO TO SILENCER CATALYST
(3)	VAPOR CANISTER		OPTIONAL VACUUM OPERATED ACCESSORES

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	NOWBER	QII	LINE	SERIES	ВОВТ	ENGINE	INANS	IKIW	DESCRIPTION
NOTE: NA	AA=Federal E	missions	s. NAE=Ca	alifornia Em	nissions.				
1									LABEL, Emission
	4848 862AA	1							Export NAA
	4855 100 4855 105	1 1							U.S. NAA Mexico/Canada NAA
	4855 106	1							NAE
	1000 100	•							
SERIES	YSLER VIPER (S Line		BODY		ENGINE		T	RANSMIS	SION
S = RT/10 S = GTS Cou	D = 1	Dodge	27 = Co 29 = Co	nvertible upe	EWB = 8	.0L 10 Cyl. S III 8.0L Gas	FI D	EC = 6 S _I BB = All N	peed Manual
X = GTS/Lem	nans		_0 = 00	- F =	/	5.52 343	J	_ , 1	



	PART			1			ĺ		
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	53030 381AB	3 1							CANISTER, Vapor
2	4288 235	1							BRACKET PACKAGE, Leak
									Detection Pump
3	0219 462	3							NUT, Hex, .250-20
4	4192 074	1							CAP, Vapor Canister, Dust, 1997
5	9428 962	3							STUD, M6X1.00X.250-14X30.00
6	9430 631	1							BOLT, .250-20x1.50, Canister Str
									1997
OGE CHI	RYSLER VIPER (S	SR)			ENICINIE			ANICANIC	CIONI
DGE CHE RIES RT/10	LINE D =	SR) - E Dodge	BODY 27 = Co 29 = Co	onvertible	ENGINE EWB = 8.	3.0L 10 Cyl. S All 8.0L Gas	SFI DE	RANSMIS EC = 6 Sp BB = All N	peed Manual

Emission Harness Figure 025-410




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4763 804AC	1				EWB			HARNESS, Canister Purge
2	4763 831AB	1							HARNESS, Purge Body
3	4762 085	1							BRACKET, Duty Cycle Purge
	1000 17515								Solenoid
<u>4</u> 5	4669 475AB	2							SOLENOID, Duty Cycle Purge
5	3420 1358	2							NUT AND WASHER, Hex Nut- Sealing Washer, M6 x 1.00
6	6100 270	2							SCREW AND WASHER, M6x1x40
7	4275 637	1							ELBOW, Vapor Tube Harness, .25
		<u> </u>							25 90 Degree, Duty Cycle Purge
									Harness, (90 Degree 1/ 4x1/4),
									1997
8	3502 916	2							SPACER, Speed Control Servo


DODGE CHRYSLER VIPER (SR)
SERIES LINE
S = RT/10 D = Dodge
S = GTS Coupe
X = GTS/Lemans

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Group – DSR

Doors and Related Parts






GROUP DSR - Doors and Related Parts

Illustration Title	Group-Fig. No
Front Door	
Door, Front Shell And Hinges	Fig. DSR-110
Door, Front Glass Viper 27	Fig. DSR-120
Door, Front Glass And Regulator Viper 29	Fig. DSR-125
Door, Front Lock And Controls	Fig. DSR-130
Exterior Mirror	
Mirrors, Exterior	Fig. DSR-510
Weatherstrips and Seals	
Door, Front Seals Viper 27	Fig. DSR-610
Door, Front Weatherstrips And Seals Viper 29	Fig. DSR-620

Door, Front Shell And Hinges Figure DSR-110



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4702.02240								DOOR, Front, Service Dealer Paint
	4763 922AC	1			29				Right
	4763 923AC	1			29				Left
	4848 620	1			27				Up to 04-08-97, Right
	4848 621	1 1			27 27				Up to 04-08-97, Left
	4848 620AC	-							After 09-01-97, Right After 09-01-97, Left
	4848 621AC	1			27				,
	4848 620AB	1			27				w/Notch for Belt Weatherstrip,
	4040 CO4 AD				27				Right
_	4848 621AB	1			21				w/Notch for Belt Weatherstrip, Left
2									COVER, B Pillar Trim Panel,
									Stanchion Cover, includes Sealer
	MEZ4 MVO								Tape
	ME74 MX3	1			29				Right
	ME75 MX3	1			29				Left
	QB96 JX8AE	1			27				Right
-3	QB97 JX8AE 4763 963	<u>1</u> 1			27 29				Left Standbian Cover
-3	4703 903	'			29				BRACKET, Stanchion Cover,
4	4CE0 007	4			20				Mounting
-4	4658 887	4			29				PUSH PIN, Front Door Glass Run
									With Weatherstrip, Push
5									WASHER, (NOT SERVICED) (Not
e									Serviced)
6									SCREW, (NOT SERVICED) (Not
7	504F 400								Serviced)
7	5245 109 6502 549	2							HINGE, Front Door SCREW, Pan Head, M8x1.25x30
8		4							
9	6503 351	4							SCREW AND WASHER, Hex Head,
10									M8x1.25x35 NUT, (NOT SERVICED) (Not
10									
11	6502 676	4							Serviced)
11 12	6502 676 6032 723	4 4							NUT, Hex, M6x1.00 SCREW, Self Tapping, M4.2x1.
12	0032 723	4							69x19.05
13									COVER, Hinge
13	4642 956	1			27				Right
	4042 930	1 1			27 29				Right
	4642 957	<u>'</u> 1			27				Left
	104 2 33 <i>1</i>	1			27 29				Left
14	3502 2111	AR			29				
	3002 2111	AK							SPACER, Fender, 1.0
15									SCREW, (NOT SERVICED) (Not Serviced)

DODGE CHRYSLER VIPER (SR)
SERIES LINE
S = RT/10 D = Dodge
S = GTS Coupe
X = GTS/Lemans

BODY


27 = Convertible 29 = Coupe

ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

3		
	2	

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	10.10.170								GLASS, Door
	4848 470 4848 471	1 1			27 27				Right Left
2	1010 17 1	•			21				STORAGE KIT, Multipurpose, (NOT
									SERVICED) (Not Serviced)
3									SCREW, (NOT SERVICED) (Not Serviced)
									20.1.004)
DODGE GUD	Vel ED VIDED "	2D)							
SERIES	YSLER VIPER (S	Ē	BODY		ENGINE	01.40.0 1.0	TF	RANSMIS	SION
S = RT/10 S = GTS Coo	upe	Dodge	27 = Co 29 = Co	nvertible upe	EW0 = 8	.0L 10 Cyl. S All 8.0L Gas	rı DI DI	EC = 6 S BB = All I	peed Manual Manual
X = GTS/Ler	nans								

Door, Front Glass And Regulator Viper 29 Figure DSR-125



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									GLASS, Front Door
<u> </u>	4763 268	1	D		29				Right
	4763 269	1	D		29				Left
2	1700 200	•	J		20				UPSTOP, Front Door Window Glas
_	4763 280	1			29				or or or , richt book rimaen Glac
		2			27				Glass
3	6501 373	6							SCREW AND WASHER, Hex Head
									M6x1x20
4									CHANNEL, Front Door Glass
	4763 278	1			29				Right
	4763 279	1			29				Left
	4848 460	1			27				Right
	4848 461	1			27				Left
5									SCREW, Hex Flange Head,
									M6x1x12
	6504 199	4			29				
		4			27				
6	6502 843	1							NUT AND WASHER, Hex Nut-Con
									Washer, M6 x 1.00
7									CHANNEL, Door Glass
	4763 284AB	1			29				Right
	4763 285AB	1			29				Left
8	6101 455	2							SCREW AND WASHER, Hex Head
									M6x1x20
9	6500 284	2			29				NUT, Hex, M6x1.00
10	4615 678	2			29				STABILIZER, Door Glass Belt
11									REGULATOR, Front Door Window
	4763 282	1			29				Right
		1			27				Right
	4763 283	1			29				Left
		1			27				Left

 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE


 S = RT/10
 D = Dod

 S = GTS Coupe
 X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Door, Front Lock And Controls Figure DSR-130



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									LATCH, Front Door
	4763 186	1			27				Right
		1			29				Right
	4763 187	1			29				Left
2	6501 373	6							SCREW AND WASHER, Hex Head
									M6x1x20, Latch
3									HOUSING, Door Remote Control
	4763 618	1			29				Right
	4763 619	1			29				Left
4									SCREW, Pan Head, .164-18x.50
	0154 657	2	D		27				Housing
		2	D		29				Housing
5									U-NUT, (NOT SERVICED) (Not
									Serviced)
6	4643 066	2							STRIKER, Door Latch
7	4643 067	AR							SPACER, Door Lock Striker
8	4643 428	4							SCREW, Flat Head, M8x1.25x36.3
9	5245 098	2							INTERLOCK, Door Restraint
10	4763 553	AR							SPACER, Lower Door Restraint
11	4763 554	2							INSULATOR, Restraint System
12	6503 665	4							SCREW, Flange Head, M6x1x18,
									Interlock
13									HANDLE, Inside Release, Manual
									Overide, Serviced in Trim Panel,
									(NOT SERVICED) (Not Serviced)
14									HANDLE, Front Door
	PS21 SX8	1			29				Black, Left
	PS21 TX9	1			27				Flat Black, Left
	PS21 SX8	1			27				Black, Left
	PS20 SX8	1			29				Black, Right
	PS20 TX9	1			27				Flat Black, Right
	PS20 SX8	1			27				Black, Right
	PS21 TX9	1			29				Flat Black, Left
	PS20 TX9	1			29				Flat Black, Right
15									NUT
	5245 795	1			29				
		1			27				
16	4848 479	2			29				PIN, Snap, Switch Att.

 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE

 S = RT/10
 D = Dod

 S = GTS Coupe
 X = GTS/Lemans


D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

2	

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
IIEW	NUMBER	QIY	LINE	SERIES	ВОДТ	ENGINE	IKANS	IRIM	DESCRIPTION
1									MIRROR, Outside Rearview, Left
•									Side Export Use 4709434
	4709 432	1							Service Dealer Paint, Right
	4709 433	1							Service Dealer Paint, Left
2									SCREW, use 6503666, (NOT
									SERVICED) (Not Serviced)
RIES	YSLER VIPER (LIN	E	BODY		ENGINE		Т	RANSMIS	SSION
RT/10 GTS Cou	D =	Dodge	27 = Co 29 = Co	onvertible	EWB = 8	.0L 10 Cyl. S All 8.0L Gas	FI D	EC = 6 S BB = All I	peed Manual
G13 C00	ipe nans		29 = UC	upe	$\sqsubseteq VVU = F$	III O.UL Gas	U	DD = All I	viai iuai

Door, Front Seals Viper 27 Figure DSR-610




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
4									OFAL Davis
1	4848 204	1			27				SEAL, Door
		•			27 27				Right
_	4848 205	1			21				Left
2	4642 872	2							SEAL, Door, Secondary
3									WEATHERSTRIP, A-Pillar to Roc
	4040.00445				07				Body Mounted
	4848 304AE	1			27				Right
	4848 305AE	1			27				Left
-4	4658 673	2			27				PIN PUSH, .150x.410, Weatherst
5									RETAINER, B Pillar Weatherstrip
	4848 464AB	1			27				Right
	4848 465AB	1			27				Left

DODGE CHRYSLER VIPER (SR)
SERIES LINE
S = RT/10 D = Dodge
S = GTS Coupe
X = GTS/Lemans

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Door, Front Weatherstrips And Seals Viper 29 Figure DSR-620



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4848 717	4			29				TAPE, Foam, Flange
2									RETAINER, Front Pillar to Glass
	4763 888AB	1			29				Right
	4763 889AB	1			29				Left
3									SCREW, (NOT SERVICED) (Not
									Serviced)
4									WEATHERSTRIP, Door Glass
	4763 878AB	1			29				Right
	4763 879AB	1			29				Left
-5									WEATHERSTRIP, Door Belt
	4763 890	1							Right
	4763 891	1							Left

 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE

 S = RT/10
 D = Dod


 S = GTS Coupe
 X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Group – ESR

Exterior Ornamentation






GROUP ESR - Exterior Ornamentation

Illustration Title	Group-Fig. No.
Medallions	
Name Plates	Fig. ESR-110
Decals	
Decals	Fig. ESR-310

Name Plates Figure ESR-110




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									MEDALLION, Viper Head, Hood
	JW27 M3X	1			27				Black
	JW27 S3B	1			27				Blue
	JW27 M1R	1			27				Red
-2	QY90 HV5AA-	· 2			29				NAMEPLATE, HOOD, GTS, Red
-3	QY89 HV5AA-	· 2			27				NAMEPLATE, HOOD, RT/10, Red
4									MEDALLION, Viper Head, Deck Lid
	JW40 M1R	1			27				Red
	JW40 M3X	1			27				Black
	JW40 S3B	1			27				Blue
-5	MB59 TV5	1			29				DECAL, GTS-R, Deck Lid, Red
-6									NAMEPLATE, Chrysler
	GM69 SBB	1			27				Blue 'Viper GTS'
	GM69 MV5	1			27				Champagne 'Viper GTS'


DODGE CHRYSLER VIPER (SR)
SERIES LINE
S = RT/10 D = Dod
S = GTS Coupe
X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Decals Figure ESR-310





	PART											
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION			
1									DECAL, Dodge			
	GC54 LV5	1			27		Orange Red [RN], Rear Fascia					
		1			29				Orange Red [RN], Rear Fascia			
	GC54 SBB	1			27		Blue [BE], Rear Fascia					
		1			29		Blue [BE], Rear Fascia					
2									DECAL, Viper R/T 10			
	MB59 SBB	1			29				Blue, VIPER GTS, Rear Fascia			
	MB59 TV5	1			29		Red, VIPER GTS, Rear Fascia					
	GC43 LV5	1			27		Orange Red, VIPER [RN], Rear					
							Fascia					
	GC43 SBB	1			27				Blue [BE], Rear Fascia			
	GC43 SW1	1			27				White, VIPER [W1], Rear Fascia			
	GC43 SX3	1			27				Black, VIPER [X3], Rear Fascia			
3									MEDALLION, Hood			
	PF00 S3B	1			29				Viper Head [BE]			
	PF00 T1R	1	D		29				Viper Head [RN]			
4									DECAL, VIPER GTS			
	MB61 SBB	2			29				Blue			
	MB61 TV5	2			29		Red					
5	QY83 HY2AA	2							DECAL, PRANCING SNAKE, GOLD			
6	QY88 SY4AA	2							DECAL, PRANCING SNAKE,			
							_		YELLOW			

 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE


 S = RT/10
 D = Dod

 S = GTS Coupe
 X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Group – ISR Interior Trim




ISR-100 Headliner and Visor	ISR-200 Quarter Panels and Scuff Plates	ISR-300 Carpets, Mats and Insulation	ISR-400 Door Trim Panels-Front
ISR-500 Front Seats	ISR-700 Seat Belts Front-Outer and Inner		

GROUP ISR - Interior Trim

illustration Title	Group-Fig. No
Headliner and Visor	
Visors And Footrest	Fig. ISR-110
Headliner Viper, Coupe	Fig. ISR-120
Quarter Panels and Scuff Plates	
Quarter And Rear Bulkhead Panels Viper, Convertible	Fig. ISR-210
Quarter And Rear Bulkhead Panels Viper, Coupe	Fig. ISR-215
Door Sill Scuff Plate	Fig. ISR-220
Carpets, Mats and Insulation	
Carpet, Front And Rear	Fig. ISR-320
Door Trim Panels-Front	
Door Panels	Fig. ISR-410
Front Seats	
Seat, Front	Fig. ISR-510
Seat Belts Front-Outer and Inner	Ü
Belt - Front Seat-outer	Fig. ISR-710
Doit Front Ocat Outor	1 19. 1011-110

Visors And Footrest Figure ISR-110




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		-							
1									VISOR, W/Mirror
	RF48 1X7AA	1						O0	Black, (Use After 2-17-97), Right
	RF49 1X7AA	1						00	Black, (Use After 2-17-97), Left
	LH30 SX7	1	D		29			00	Black, (Use Up To 2-17-97), Righ
	LH31 SX7	1	D		29			00	Black, (Use Up To 2-17-97), Left
2	6032 723	4			27				SCREW, Self Tapping, M4.2x1.
									69x19.05, Visor Attaching (.164-
									15x.750)
3									SCREW, (.164-18x.625), (NOT
									SERVICED) (Not Serviced)
4	4763 695	1							FOOTREST, Panel
-5									LABEL, Air Bag Warning
	4595 748AA-	1			27			00	Dash Warning (Removable)
		1			29			O0	Dash Warning (Removable)
	4595 749AA-	1							Canada Only
	4787 437AA-	2							English/French 5 Points

DODGE CHRYSLER VIPER (SR)
SERIES LINE
S = RT/10 D = Dod
S = GTS Coupe
X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Headliner Viper, Coupe Figure ISR-120



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	LC06 DX9AB	1			29			O 0	PANEL, Headliner, Black, (Includes
									Dome Lamp, Not Serviced
									Separately), Headliner
2	PB58 DX9	1	D		29			00	NET, Cargo, Black, Overhead
									Storage
3	QE54 DX9	1			29			00	BEZEL KIT, HEADLINER, Black,
									Headliner
4	6032 723	4							SCREW, Self Tapping, M4.2x1.
									69x19.05, Attaching, Roof
-5	6031 869	2			29				NUT, Push, .19, Attaching, For .190
									Screw, Headliner
6	QK37 SX9	6			29			00	RETAINER, Headliner, Black

 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE


 S = RT/10
 D = Dod

 S = GTS Coupe
 X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Quarter And Rear Bulkhead Panels Viper, Convertible Figure ISR-210



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
				•	•				
1									PANEL, Bulkhead Trim
	LC17 1X7AB	1			29			00	
	QB89 1X7AB	1			27			00	
-2	4460 070	1			29				LATCH, Glovebox
-3									BOLT, M6.3x22.80
	6502 871	4			29			O0	
		4			27			00	
4	6035 085	3			27				SCREW, Tapping, .164-15x1,
									Tapping .164-15x1
5									BEZEL, Seat Belt
	HC76 LX9	1			29			O 0	Right
		1			27			00	Right
	HC81 LX9	1			29			00	Left
		1			27			O0	Left
6									STRIKER, Glove Box Door Latch
	4874 868	1			29			00	Latch
		1			27			00	Latch
7	4763 504	2	D		29				BUMPER, Console Lid, Lid
8									HINGE, Glovebox
	4874 869	1			27			00	Lid
		1	D		29			O0	Lid
9								_	DOOR, Rear Cargo
	QE53 1X7	1			29			00	Non-Locking
	RE85 1X7AA	1			29			00	Locking
		1			27			O0	Locking
10	D040 4\/74D							•	PANEL, Quarter Trim
	PS12 1X7AB	1			27			00	Right
4.4	PS13 1X7AB	1			27			00	Left
11									SCREW AND WASHER, Oval Truss
	2420 4200	4			20				Head, .164-18x.984
	3420 1398	4			29				.164-18x.984 .164-18x.984
12	6035 451	4 5			27 27				.164-16X.964 NUT/SPRING, "U"1THD, For .164-15
	0035 451	<u> </u>			21				Screw
13	4848 863AA	2			29				PATCH, Floor Pan Rear Corner,
13	4040 003AA	2			23				Deadener Bulkhead
14									COVER, Quarter Trim Opening
	QV59 DX9AB	1			27			00	Left
	2.00 2/0/10	1			29			00	Left
	QV58 DX9AB	1			27			00	Right
	2.00 2/0/10	1			29			00	Right
		'							

 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE


 S = RT/10
 D = Dod

 S = GTS Coupe
 X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas


Quarter And Rear Bulkhead Panels Viper, Coupe Figure ISR-215



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
ACC = 0	GT2 Champion I	Edition	Group						
1									BIN, Floor Console
	4874 859	1			27			00	Bulkhead Top Storage
		1	D		29			00	Bulkhead Top Storage
2									PANEL, Bulkhead Trim
	LC17 1X7AB	1			29			00	Includes Items 1 Thru 7
	QB89 1X7AB	1			27			00	Includes Items 1 Thru 7
-3									BOLT, M6.3x22.80
	6502 871	4			29			00	M6.3X22.80
		4			27			00	M6.3X22.80
4									BEZEL, Seat Belt
	HC81 LX9	1			29			00	Left
		1			27			00	Left
	HC76 LX9	1			29			O0	Right
		1			27			00	Right
5	4763 504	2	D		29				BUMPER, Console Lid, Lid
6									STRIKER, Glove Box Door Latch
	4874 868	1			27			O0	Latch
		1			29			00	Latch
7									HINGE, Glovebox
	4874 869	1			27			00	Lid
		1	D		29			00	Lid
8									DOOR, Rear Cargo
	QE53 1X7	1			29			00	Non-Locking
	RE85 1X7AA	1			27			00	Locking, With Latch (P894DX9)
-9	4460 070	1			29				LATCH, Glovebox
10									PANEL, Quarter
	QL03 1X7AC	1			29			00	Black, Left
	QL03 SX7AC	1			29			00	Graphite, Champion Edition (ACC)
									Left
	QL02 1X7AC	1			29			00	Black, Right
	QL02 SX7AC	1			29			00	Graphite, Champion Edition (ACC)
									Right
11									SCREW AND WASHER, Oval Truss
									Head, .164-18x.984
	3420 1398	4			29				.164x18x.984
		4			27				.164x18x.984
12	5517 6291	4							BUMPER, Steel Insert, Steel Insert
13	4848 684	2			29				BRACKET, Quarter Trim
14	6034 384	4			29				SCREW, Pan Head, .437-20x1.15,
									.437-20x1.15
15	4848 863AA	2			29				PATCH, Floor Pan Rear Corner,
									Deadener Bulkhead
	IRYSLER VIPER (S	R)							
SERIES S = RT/10	LINE	Dodge	BODY 27 = Co	nvertible	ENGINE EWB = 8	.0L 10 Cyl. S		TRANSMIS	SSION peed Manual
S = GTS C X = GTS/L	oupe	Jouye	27 = Col			All 8.0L Gas		DBB = All I	

Quarter And Rear Bulkhead Panels Viper, Coupe Figure ISR-215

PART



TRANS

TRIM

00

00

Right


DESCRIPTION

COVER, Quarter Trim Opening

Door Sill Scuff Plate Figure ISR-220

	ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TDIM	DESCRIPTION
		NUMBER	411	LINE	SERIES	זעטם	ENGINE	CNANI	I IZIIVI	DESCRIPTION
	1	KS20 DX9AB	3 1						00	SILL COVER, Interior Right
	_	KS21 DX9AB	3 1						00	Left
	2 3	0154 751 4848 881AA	8 8							SCREW, Tapping, .164-18x1 PLUG, Body, .75 Diameter
										_
2 5 3										
	DODGE CH SERIES	RYSLER VIPER (S LINE D = 1	SR)	BODY 27 = Co		ENGINE		TF	RANSMIS	SION
	S = RT/10 S = GTS C X = GTS/Le	D = I	Dodge	27 = Co 29 = Co	nvertible upe	EWB = 8 $EW0 = A$.0L 10 Cyl. S Ill 8.0L Gas	SFI DE De	EC = 6 Sp BB = All N	SION eed Manual fanual
	X = 010/Le	Sinuito								

Carpet, Front And Rear Figure ISR-320



	PART											
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION			
1	QD07 SX9	1						O0	CARPET, Front Floor, 12 oz, Left			
2	QD06 SX9	1						O0	CARPET, Front Floor, 12 oz, Right			
3	LC11 DX9	1	D		29			O0	 CARPET, Cargo Side Trim, Cargo Compartment,, Upper 			
4	LC12 DX9	1	D		29			O0	CARPET, Luggage Compartment,			
-5	6505 392AA-	2			29				Cargo Compartment,, Lower WASHER, Rubber Mount, Rubber Mount			
6	LC07 SX7AB	1			29			O0	PANEL, Cargo Door Header Trim,			
7									Cargo, Rear PANEL, Cargo Door Header Trim			
	QK42 SX7	1			29			00	Right			
	QK43 SX7	1			29			O0	Left			
8	6031 869	10			29				NUT, Push, .19, (For .190 Screw)			
9									SCREW, SCREW, .190-16x1.00,, (NOT SERVICED) (Not Serviced)			
10									PAD, Bulkhead Spacer			
	4709 275	2			27							
		6			29							
11									SCREW AND WASHER, Oval Truss Head, .164-18x.984			
	3420 1398	4	_		29		_					
		4			27							
12	6031 869	10			29				NUT, Push, .19, Push			

 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE


 S = RT/10
 D = Dod

 S = GTS Coupe
 X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Door Panels Figure ISR-410



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PANEL, Door Trim Front
	QV62 TX9AA	1						00	(Use Up To 7-12-97), Right
	QV63 TX9AA	1						00	(Use Up To 7-12-97), Left
	RT74 1X7AA	1						00	(Use After 7-12-97), Right
	RT75 1X7AA	11						O0	(Use After 7-12-97), Left
	QY20 TX9AA	1						00	With Notch At Door Opening (B-
									Pillar), Right
	QY21 TX9AA	1						O0	With Notch At Door Opening (B-
									Pillar), Left
2									BEZEL, Remote Control
	EK02 PX9	1						00	Right
	EK03 PX9	1						00	Left
3	6031 869	2			29				NUT, Push, .19, Push
4	6032 723	4							SCREW, Self Tapping, M4.2x1.
									69x19.05
5									SCREW, SCREW, .164-18x.500,
									(NOT SERVICED) (Not Serviced)
6									COVER, B Pillar Trim Panel
	ME69 JX8	1	D		29			00	Left
	ME68 JX8	1	D		29			00	Right
	QB92 JX8	1			27			00	Right
	QB93 JX8	1			27			O0	Left
7	5517 6291	4							BUMPER, Steel Insert
8	6101 973	6	D		29				SCREW, Pan Head, M5X0.80X8.00
9									SCREW, SCREW, .190-16x1.500,
									(NOT SERVICED) (Not Serviced)
10	4658 887	4			29				PUSH PIN, Front Door Glass Run
									With Weatherstrip
11									WATERSHIELD, Front Door
	4763 797	1			29				Left
		1			27				Left
	4763 796	1			29				Right
		1			27				Right
12		-							BEZEL, Door Trim Panel
-	MS38 MX4AB	1						00	Right
	MS39 MX4AB							00	Left
-13	6503 709	1						00	PIN, Door Panel, Push-In
-13	0000 700	1							i ii v, Door i andi, i usii-iii

 DODGE CHRYSLER VIPER (SR)


 SERIES
 LINE

 S = RT/10
 D = Dod

 S = GTS Coupe
 X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SEAT BACK, Front
	RZ97 1XKAA	1			27			O0	Black/Tan (CLXK), Left
	RZ97 SX9AA	1						00	Black, (CLX9), Left
	RZ96 1XKAA	1			27			00	Black/Tan (CLXK), Right
	RZ96 SX9AA	1						00	Black, (CLX9), Right
2	QE61 SX9	1						O0	CUSHION, Front Seat, Complete,
									Frame, Cover, Pad
3	QE63 SX9	1						00	GUIDE, Seat Belt
4	6504 572	4							NUT AND WASHER, Hex Nut-Coned
									Washer, M8 x 1.25, M8x1.25, Rear
									Seat To Floor Pan Attach
5	6503 354	4							SCREW AND WASHER, Hex Head,
									M8x1.25x25, Seat Track To Floor
									Riser
6	4773 266	1						00	PIN, Actuator Front
7	4713 967	1						00	RECLINER, Seat Back
8									BRACKET, Serv. With Item 2, (NOT
									SERVICED) (Not Serviced)

 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE


 S = RT/10
 D = Dod

 S = GTS Coupe
 X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Belt - Front Seat-outer Figure ISR-710



(6)
5

		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		•								
	1									SEAT BELT, Front
		MB86 SX9	2	D		27			O0	U.S. and Canada
			2	D		29			00	U.S. and Canada
		PD74 RX9	2						00	Export
	2	6034 383	4							SCREW, Pan Head, .437-20x1.5
	3	4708 494	4							SPACER, Seat Belt Retainer
	4	6034 457	2							SCREW, Pan Head, .437-20x1.375
	5									SEAT BELT, Buckle Half
		4848 718	1							Right
		4848 719	1							Left
	6	6034 389	1							SCREW, Pan Head Shoulder, .437-
										20x1.87, (Included With Buckle)
	-7									RETAINER PACKAGE, Child Seat
										Tether
		4883 004	1			29			00	Hardware Package, Child Seat
			1			27			00	Hardware Package, Child Seat
_			1			27			00	
	-8	5260 606	1					_	O0	EXTENDER, Seat Belt

 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE

 S = RT/10
 D = Dod


 S = GTS Coupe
 X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas


Group – SSR

Body Sheet Metal Except Doors



SSR-200 Floor Pan	SSR-400 Fender	SSR-500 Hood & Hood Release	SSR-600 Cowl and Dash Panel		
SSR-700 Glass, Windshield, Backlite, Mirror	SSR-900 Quarter Panel	SSR-1000 Splash Shields	SSR-1100 Roof - Hard & Folding Top		


Group – SSR Body Sheet Metal Except Doors



GROUP SSR - Body Sheet Metal Except Doors

Illustration Title	Group-Fig. No.
Floor Pan Floor Pan	Fig. SSR-210
Fender Fender Shield	Fig. SSR-410
Hood & Hood Release Hood Release And Hinge	Fig. SSR-520
Cowl and Dash Panel Cowl And Dash Panel	Fig. SSR-610
Glass, Windshield, Backlite, Mirror Glass Windshield, Frame And Mirror Glass Windshield Frame And Mirror Viper Coupe Glass, Backlite Hardtop	Fig. SSR-710 Fig. SSR-715 Fig. SSR-720
Quarter Panel Rear Quarter Panel	Fig. SSR-910
Splash Shields Loose Panel	Fig. SSR-1010
Roof - Hard & Folding Top Sport Cap Toupette Assembly-top	Fig. SSR-1110 Fig. SSR-1120
Hard Top Convertible	Fig. SSR-1125 Fig. SSR-1130
Deck Lid Deck Lid Weatherstrip And Latch Fuel Filler Door	Fig. SSR-1310 Fig. SSR-1320 Fig. SSR-1330
Rear Shelf Panel Rear Shelf Panel Viper, Coupe	Fig. SSR-1410

Floor Pan Figure SSR-210



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	•			•		•			
1	4848 187	1			27				PAN, Floor, (Body Code 27)
-2	4848 681	<u>·</u> 1			29				PAN, Trunk, (Body Code 29)
3		•			_0				FRAME, (Reference Only) See
									Group 13, (NOT SERVICED) (Not
									Serviced)
4	4848 591	4			29				EXHAUSTER, Bodyside Aperture
-5									COVER, Trunk Exhauster
	4848 818AB-	1			29				(Body Code 29), Right
	4848 819	1			29				(Body Code 29), Left
6	6502 688	2							SCREW AND WASHER, Hex Head,
-									M10x1.5x70
7	4642 900	4							ISOLATOR, Rear Floor Pan To
									Frame, Rear Floor Pan to Frame
8									SPACER, Floor Pan Isolator
	4642 902	2			27				(Body Code 27)
	4848 189	2			29				(Body Code 29)
9									SHIM, Floor Pan Isolator
	4643 353	AR							Size, (1.5)
	4848 868AA	AR							Size, (1.0")
10	6503 675	2							SCREW AND WASHER, Hex Head,
									M10x1.5x40, M10x1.50x40.00
-11	4848 419	4							PLUG, Floor Pan
12	4665 288	2			27				ANCHOR, Tie Down, Footman Loop
13	6034 646	4			27				RIVET, .197 Grip187375
14	4708 256	2			27				PLATE, Footman Loop
15	4763 477	2			27				CUSHION, Trunk Pan, Trunk Pan
									Closeout, Convertible
16									PATCH, Floor Pan Rear Corner
	4848 865AA	1			29				Left
	4848 864AA	1			29				Right
-17	4708 168	1			27				STRAP, Cargo Tie Down, (Body
									Code 27)
-18	4848 103	1			29				GASKET, Fuel Pump Cover Plate,
									(Body Code 29)
-19	6034 844	AR			29				RIVET, Blind, .250x.375/.562, Used
									With Fuel Pump Access Door

 DODGE CHRYSLER VIPER (SR)


 SERIES
 LINE

 S = RT/10
 D = Dod

 S = GTS Coupe
 X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
						•		•	
1									SHIELD, Splash
	4763 824AB	1							Right
	4763 825AB	1							Left
2	4708 180	12							SCREW, Splash Shield
3									SHIELD, Splash
	4643 504AB	1							Right
	4643 505AB	1							Left
4	4709 030AB	2							WEATHERSTRIP, Front Splash to
									Hood, Front Splash to Shield
5									PUSH PIN, 6.3x22.8, (NOT
									SERVICED) (Not Serviced)
6									SHIELD, Splash
	4763 348	1							Right
	4763 349	1							Left
7									SHIELD, Splash
	4709 037	1							Rear Lower, Left
	4763 092	1							Rear Lower, Right
8									BRACKET, Bulkhead
	4709 356	1							Right
	4709 357	1							Left
9	0181 063	5							SCREW AND WASHER, .25-20x.75
10	6029 074	8							U-NUT, .25-20, .250-20
11	6100 877	3			27				WASHER, Flat, M6
12	4709 031AB	2							WEATHERSTRIP, Front Splash to
									Hood
13	6034 578	2			27				RIVET, .25 Grip.0625
14	6500 911	4							RIVET, M6.25x28
15	4708 057	2							PLUG, Trunk Seal, 3" Round
16									RIVET, .250x.492, (NOT SERVICED)
									(Not Serviced)
17	6035 135	3							SCREW
18	4708 235	1							SHIELD, Wheelhouse, Splash Shield
									Front

 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE


 S = RT/10
 D = Dod

 S = GTS Coupe
 X = GTS/Lemans


D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Hood Release And Hinge Figure SSR-520



Hood Release And Hinge Figure SSR-520



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
22									SCREW, [M8x1.25x40.00], (NOT
									SERVICED) (Not Serviced)
23	4643 463	AR							SHIM, Hood Latch
24									BRACKET, Hood
	5245 116AB	1							Right
	5245 117AB	1							Left
25									ANTENNA, (Reference Only), (NOT
									SERVICED) (Not Serviced)
26	6500 532	4							NUT AND WASHER, Hex Nut-Coned
									Washer, M8 x 1.25, M8x1.25
27									SCREEN, Hood
	4709 248	1							Right
	4709 249	1							Left
28									SCREW, (.164-18x.625), (NOT
									SERVICED) (Not Serviced)
29	4643 073	1							SEAL, Hood To Cowl, Hood to Cowl
30									LOUVER, Air Outlet
	4763 331	1			29				Left
	4763 330	1			29				Right
31	4763 335	1			29				BEZEL, Nacaduct, NACA Duct

 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE


 S = RT/10
 D = Dod

 S = GTS Coupe
 X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Cowl And Dash Panel Figure SSR-610



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4763 547	1							PANEL, Dash, Dash
2	6101 542	4							SCREW, Hex Head, M8-1.25 x 20,
									Panel to Frame
3	6100 544	1							SCREW, Hex Flange Head, M5x0.
									80x20.00, Pedal to Toe Box
4	6101 452	8			29				SCREW AND WASHER, Hex Head,
									M8x1.25x20, M8x1.25x20.00
5									PANEL, Cowl
	QN61 SX9	1			27				Cowl
		1			29				Cowl
6									ROD, Cowl Panel
	5245 872	1							Right
	5245 873	1							Left
7									SCREW
	6035 625	4			29				.190-16x.750
		4			27				.190-16x.750
8	6502 843	2							NUT AND WASHER, Hex Nut-Cone
									Washer, M6 x 1.00, M6x1.0
9	6101 542	8							SCREW, Hex Head, M8-1.25 x 20
10	6101 089	6							SCREW AND WASHER, Hex Head,
									M10x1.5x40
11	6502 337	2							NUT, M10x1.5
12									FRAME, (Refrence Only), (NOT
									SERVICED) (Not Serviced)
13									SCREW, (NOT SERVICED) (Not
									Serviced)
14	6100 516	2							NUT, Hex Flange Lock, M6
									Phosphate, M6x1.00, Attach
									Accellerator Pedal to Toe Box
15									COVER, A Pillar
	4848 900AA	1							Right
	4848 901AA	1							Left

 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE


 S = RT/10
 D = Dod

 S = GTS Coupe
 X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Glass Windshield, Frame And Mirror Figure SSR-710



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4709 116AB	1			27				WINDSHIELD
-2	4643 847	AR							SHIM, Windshield
3	PR74 DX9AD	1			27				FRAME, Windshield, Windshield
									Surround
4	4643 256	1			27				MIRROR, Inside Rear View, Lighted
									Rear View (Lighted)
5									BUTTON, Rear View Mirror
	4054 098	1			29				Mirror
		1			27				Mirror
6	6031 094	1			27				SCREW, Pan Head Tapping, .19-
									16x.375
7	4848 883AA	1			27				BACKLITE, w/Seal
-8	4848 886AA-	3			27				BACKLITE, Snap Assy
-9									BACKLITE, Lock Cover
	4848 888AA-	1			27				Right
	4848 889AA-	1			27				Left
-10	4848 891AA-	1			27				BACKLITE, Lock Package, With Ke
-11	4848 894AA-	2			27				KEY, Backlite, Viper, With Viper
									Logo
-12	4848 895AA-	2			27				LOCK COVER, End Cap
-13	4848 896AA-	2			27				WASHER, Lock Cylinder, With Seal
14									RETAINER, A Pillar Trim
	4848 306	1			27				Right
	4848 307	1			27				Left
-15									WEATHERSTRIP, A-Pillar to Roof
	4848 304AE-	1			27				Right
	4848 305AE-	1			27				Left
16									CAP
	RC76 DX9AA	1			27				Right
	RC77 DX9AA	1			27				Left
-17	GA75 LX7	1			27				BAG, Backlite, Backlite Assembly

 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE


 S = RT/10
 D = Dod

 S = GTS Coupe
 X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Glass Windshield Frame And Mirror Viper Coupe Figure SSR-715



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	-								
1	4848 697AB	1			29				WINDSHIELD
2	4643 847	AR							SHIM, Windshield, Windshield
									Mounting
3	4054 098	1			29				BUTTON, Rear View Mirror, Mirror
4	6031 094	1			27				SCREW, Pan Head Tapping, .19-
									16x.375
5	4848 196	1			29				MIRROR ASSEMBLY, I/S Prismatic
6	4278 662	6							SPACER
7	PE86 SBE	1			29				COVER, A Pillar, Silver/Red Or Viper
									GTS Blue, Right
-8	PE71 SBE	1			29				COVER, A Pillar Trim, Silver/Red Or
									Viper GTS Blue, Left
-9									WEATHERSTRIP, A-Pillar to Roof
	4848 304AE-	1			27				Right
	4848 305AE-	1			27				Left
10	QM22 SX4	1			29				FRAME, Windshield Surround
11	4848 823	5			29				BRACKET, Windshield Frame to
									Roof, Windshield Frame to Roof
12									BRACKET, Windshield
	4848 526	1							Right
	4848 527	1							Left
13	6100 582	8							BOLT AND CONED WASHER, Hex
									Head, M8x20x20, M8X1.25x20.00
14									SCREW AND WASHER, (M10x1.
									50x30.00), (NOT SERVICED) (Not
									Serviced)
15									RETAINER, Front Pillar to Glass
	4763 888AB	1			29				Right
	4763 889AB	1			29				Left
16	5245 843	2			29				LOCK COVER, Dual, Cover Half
17	5245 842	2			29				LOCK COVER, Dual, Body Half

 DODGE CHRYSLER VIPER (SR)


 SERIES
 LINE

 S = RT/10
 D = Dod

 S = GTS Coupe
 X = GTS/Lemans
 D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Glass, Backlite Hardtop Figure SSR-720



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
						•			
1	4763 380	1			29				BACKLITE
2									HINGE, Liftgate
	4763 964	1			29				Right
	4763 965	1			29				Left
-3		•			20				COVER, Hinge
	QM20 SX9	1			29				Liftgate, Right
	QM21 SX9	1			29				Liftgate, Left
-4	6035 857	8			29				PIN PUSH, .281x.770, Push-In
5	4848 225	AR			29				SHIM, Liftgate Hinge, To Sport Bar
6	6100 567	3			29				SCREW AND WASHER, Hex Head,
Ü	0.00 00.	Ü			20				M6x1x25
7	4848 685	1			29				BAR, Sport
8	10 10 000	•			20				NUT AND WASHER
	6501 941	5			27				Liftgate Hinge To Glass
	0001 041	2			29				Liftgate Hinge To Glass
9	4763 387AB	2			29				PROP, Backlite, Backlite
10	5256 749	2			29				BUMPER, Deck Lid Adjuster,
10	3230 749								Adjuster
11	4848 474	1			29				GASKET, Bumper Bracket
12	4763 384	1			29				STRIKER, Backlite, Backlite
13	6501 941	4							NUT AND WASHER, Attaching,
4.4									Deck Lid Hinge
14	4040.050	4			20				BRACKET, Liftgate
	4848 358	1			29				Right, Prop Rod, Mounting
4.5	4848 359	1			29				Left,Prop Rod,Mounting
-15	50.45.000				00				REINFORCEMENT, Mounting
	5245 666	1			29				Right, Prop Rod
	5245 667	1			29				Left,Prop Rod
16	6100 557	4							BOLT AND CONED WASHER, Hex
									Head, M6x20x14
17	5245 886	1			29				LATCH, CABLE AND SWITCH
-18	4848 767	1			29				BRACKET, Trunk Lamp Mounting,
									Trunk Lamp Mounting
19	6100 583	4							BOLT AND CONED WASHER, Hex
									Head, M8x25x20, Latch Attaching
20	4763 671	1			29				WEATHERSTRIP, Liftgate Glass
21	4763 386	1			29				BRACKET, Mounting, Backlite Latch
		•							Mounting


 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE

 S = RT/10
 D = Dod

 S = GTS Coupe
 X = GTS/Lemans

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PANEL, Quarter, Service Dealer
									Paint
	4763 340	1			29				Right
	4763 341	1			29				Left
	4848 232AB	1			27				Right
	4848 233AB	1			27				Left
2	4643 893	AR							SHIM, Quarter Panel
3	6034 844	AR			29				RIVET, Blind, .250x.375/.562
4	6034 645	14			27				RIVET, .25 Grip0625
5	4848 202	2			27				SEAL, Panel, Quarter Panel Lower
6									PANEL, Body Side, Rear (Reference
									Only), (NOT SERVICED) (Not
									Serviced)
7									RIVET, .25 Grip.0625
	6034 578	12			29				
		2			27				
8	4708 021	2							LABEL, Exhaust Warning
9	6101 455	2							SCREW AND WASHER, Hex Head,
									M6x1x20

 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE


 S = RT/10
 D = Dod

 S = GTS Coupe
 X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Loose Panel Figure SSR-1010



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	-								
Note:									
[P.A.R.]	= Paint As Req	uired							
1									PANEL, Door Surround
	4848 838AA	1							Service Dealer Paint, Right
	4848 839AA	1							Service Dealer Paint, Left
2	3502 2111	AR							SPACER, Fender, 1.0
3	3502 2112	AR							SPACER, Fender, 1.5
4	4848 881AA	8							PLUG, Body, .75 Diameter
-5	4708 021	2							LABEL, Exhaust Warning
-6	4708 022	2			27				LABEL, Warning Bar
7									PANEL, Sill
	4763 640AD	1							Right
	4763 641AD	1							Left
-8	6504 580	20							SCREW, Hex Flange Head Tapping
									M4.8x1.59x13, M4.8x1.59x13.00
-9									CAP
	5245 544	1							Right
	5245 545	1							Left
-10									CLADDING, Front Sill
	4708 428	1							Right
	4708 429	1							Left
11	6504 580	20							SCREW, Hex Flange Head Tapping
									M4.8x1.59x13, M4.8X1.59X13.00

 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE


 S = RT/10
 D = Dod

 S = GTS Coupe
 X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Sport Cap Figure SSR-1110



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4848 848AA	1			27				PANEL, Sport Cap
-2	6034 756	10			27				RIVET, Blind, .156x.460, Sport Cap
									Mounting Bracket Attach
-3	4848 876AA-	2			27				BRACKET, Quarter Trim, Quarter
									Trim
4									WASHER, Sport Cap, (NOT
									SERVICED) (Not Serviced)
-5	6503 139	5			27				SCREW, Tress Head, M5x.80x15,
									(Attach Sport Cap Cover)
6	6034 578	12			29				RIVET, .25 Grip.0625
7	6502 337	4			27				NUT, M10x1.5
8	6503 675	2							SCREW AND WASHER, Hex Hea
									M10x1.5x40, M10x1.50x40.00
9	6035 227	2			27				STUD, .312-18x1.875
10	PR73 DX9	1			27				PAD, Sport Cap
11									DEADNER, Body Panel, (NOT
									SERVICED) (Not Serviced)
12	4848 371	2			27				SEAL, Sport Cap Base, Sport Cap
									Base
13									SCREW, and WASHER, M8x1.
									25x40.00,, (NOT SERVICED) (Note: 1.00)
									Serviced)
14	4643 353	AR							SHIM, Floor Pan Isolator, Floor Pa
									Isolator
15	QX23 DX9AA	2			27				GROMMET, Sport Cap
16									COVER, "B" Pillar Outside
	RV89 DX9AA	1			27				Left
	RV88 DX9AA	1			27				Right

 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE


 S = RT/10
 D = Dod

 S = GTS Coupe
 X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Toupette Assembly-top Figure SSR-1120



ITEM	PART	ОТУ	LINE	ernice	DODY	ENGINE	TDANE	TDIM	DESCRIPTION
IIEW	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	PK61 SX9AD	1			27				TOP, Toupette
2	4643 927AB	2			27				GROMMET, Sport Cap, Sport Cap
3									WEATHERSTRIP, A-Pillar to Roof
	4848 644AD	1			27				Right
	4848 645AD	1			27				Left
4	4848 902AA	4			27				COVER, Weatherstrip, Weatherstrip
									Nut
-5	HC41 BX7AB	- 1			27				STORAGE BAG, Top, Toupette Top
-6	8230 0961	1							COVER, Tonneau
-7	6035 085	3			27				SCREW, Tapping, .164-15x1, Snap
									Tonneau Cover Mounting
-8	6035 227	2			27				STUD, .312-18x1.875, Toupette
									Hook Attach
9	5015 402AA	1			27				PLATE, Frame Reinforcment, These
									Are Camplates That Go Around
									The Hole Where The Removable
									Hardtop Pins Go In

 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE


 S = RT/10
 D = Dod

 S = GTS Coupe
 X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Hard Top Convertible Figure SSR-1125



1						TOP, Hard
	PR75 LRNAC	1		27		Viper Red
	PR75 SBEAC	1		27		Silver
2	5010 850AA	1		27		HEADLINER KIT, Hard Top
-3	QK37 SX9	6		29		RETAINER, Headliner
4						LATCH KIT, Hard Top, Front
	5010 848AA	1		27		(Includes Latch and Screws), Righ
	5010 849AA	1		27		(Includes Latch and Screws), Left
5						LATCH, Hard Top
	4882 376	1		27		Latch Only, Right, Front
	4882 377	1		27		Latch Only, Left, Front
-6						LATCH KIT, Hard Top, Rear
	5010 854AA-	1		27		Right
	5010 855AA-	1		27		Left
7	4882 378	2		27		ISOLATOR, [Rear Latch Pin], Pin,
						Rear,Latch
8						SCREW, M4x0.7x12.0 Pan Head,
						(NOT SERVICED) (Not Serviced)
9	4882 379	1		27		SCREW, M4x0.7xx16.0 Flat Head
10	4882 381	1				BOLT, M8-1.25x50.0 Shoulder, Hard
						Top Attaching
11	4886 404AA	1				WEATHERSTRIP
-12	6100 515	8		27		NUT, Hex Flange Lock, M5, Toupett
						Weatherstrip
-13	4848 902AA-	4		27		COVER, Weatherstrip, Nut
	5010 323AA-	1		27		RAIL KIT, Side, Used For Leak Fix

 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE


 S = RT/10
 D = Dod

 S = GTS Coupe
 X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Roof Panel Viper Coupe Figure SSR-1130



		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	1									PANEL, Roof
_		QK24 1BEAB	1			29				Blue
		QK24 LRNAB				29				Red
	2									SEAL, Door
	_	4763 932	2			29				Right
_		4763 933	1			29				Left
	3	5245 858	AR			29				SHIM, Side Rail To Sport Bar
	4	4848 395	2			29				BRACKET, Roof To Sport Bar
	5	6101 452	8			29				SCREW AND WASHER, Hex Head,
_										M8x1.25x20
	6	5245 664	4			29				REINFORCEMENT, Mounting
	7	4848 685	1			29				BAR, Sport
	8	4848 790	AR			29				SHIM, Sport Bar Base Plate
_	-9	4848 849AA-	2			29				PLATE, Sport Bar to Frame
	10									COVER, Roof to Door Surround
		4763 930	1			29				Right
		4763 931	1			29				Left
_	11	6503 825	9			29				NUT AND WASHER, Hex Nut-Coned
										Washer, M6 x 1.00
	12	4848 265	2			29				CABLE, Roof To Sport Bar Mounting
	13	5245 640	1			29				REINFORCEMENT, Mounting, Roof
_										Inner Liftgate Latch
	14									REINFORCEMENT, Roof Inner to
										Sport Bar Gusset, Serviced in Item
										7, (NOT SERVICED) (Not
_										Serviced)
	15	4848 930AA	2			29				SEAL, Enclosure To Body
	16	4848 929AA	2			29				SEAL, Enclosure To Body
	-17	4848 913AA-	1			29				BRACKET, Roof, Left
_	-18	4848 128	2			29				WASHER, Sport Bar, Sport Bar
										Attachment
	-19	5245 853	4			29				NOZZLE, Tube
	-20	4848 768	4			29				SEAL, Impact Joint
_	-21	6101 916	2			29				NUT, Hex Weld, M8x1.25, Hex Weld,
										Roof Inner to Sport Bar Gusset
										•

 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE


 S = RT/10
 D = Dod

 S = GTS Coupe
 X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Deck Lid Figure SSR-1310



NUMBER QTY LINE SERIES BODY ENGINE TRANS TRIM DESCRIPTION	
4642 971AB 1 27 4709 181AB 1 27 Export	
4642 971AB 1 27 4709 181AB 1 27 Export	
4709 181AB 1 27 Export	
·	
2 4643 062 2 27 HINGE, Deck Lid	
3 4643 881 AR 27 SHIM, Decklid Hinge, .030mm	١,
.030mm	
4 4643 882 AR 27 SHIM, Decklid Hinge, .060mm	١,
.060mm	
5 NUT AND WASHER, Hex Nut	-Coned
Washer, M6 x 1.00	
6503 825 4 27	
2 29	
6 6501 941 4 NUT AND WASHER	
7 4643 272 1 27 ROD, Deck Lid Prop, Deck Lid	d Prop
8 6502 407 2 27 SCREW AND WASHER, Hex	Head,
M6x1x20, M6x1.00x20	
9 J400 7456 1 27 CLIP, Prop Rod, Prop Rod De	ck Lid
Stowage	
10 4708 281 2 BUMPER, Deck Lid, Deck Lid	
Overslam	
11 4848 241 1 27 COVER, Fuel Tank Access, F	uel
Tank Access (Service Deale	r Paint)
12 6034 578 12 29 RIVET, .25 Grip.0625	
13 4643 604 1 27 REINFORCEMENT, Decklid F	rop 'rop
Rod, Decklid Prop Rod Mou	nting
14 SEAL, TRUNK CLOSEOUT	
4848 206 1 27 Right	
4848 207 1 27 Left	

 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE


 S = RT/10
 D = Dod

 S = GTS Coupe
 X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Deck Lid Weatherstrip And Latch Figure SSR-1320



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4643 286	1			27				WEATHERSTRIP, Liftgate Opening
2	4642 894	1			27				STRIKER, Door Latch
3									SCREW, Pan Head, M6x1.0x17.00,
									(NOT SERVICED) (Not Serviced)
4	4642 897	1			27				REINFORCEMENT, Decklid Striker,
									Striker
5									RIVET, (NOT SERVICED) (Not
									Serviced)
6	4642 974	1			27				LATCH, Decklid
-7	4848 767	1			29				BRACKET, Trunk Lamp Mounting,
									Trunk Lamp Mounting
8	6100 567	2							SCREW AND WASHER, Hex Head,
									M6x1x25
9									RIVET, (NOT SERVICED) (Not
									Serviced)
10	6032 723	6							SCREW, Self Tapping, M4.2x1.
									69x19.05, .164-15x.750
11	4643 273	1			27				PLATE, Decklid Cylinder
12	4665 288	1			27				ANCHOR, Tie Down, Tie Down
									Anchor
13	6034 646	2			27				RIVET, .197 Grip187375

 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE

 S = RT/10
 D = Dod


 S = GTS Coupe
 X = GTS/Lemans

D = Dodge

BODY

27 = Convertible 29 = Coupe

ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4709 219AB	1			27				DOOR, Fuel Fill
2	4643 884	AR			27				SHIM, Fuel Filler Door
3	6100 046	3							NUT AND WASHER, Hex, M5x.80
4	4763 838	2			27				BUMPER, Fuel Door
5	4709 364	1			27				PLATE AND SCREW, Fuel Filler
									Door
6	4708 234	1							LABEL, Fuel, Fuel
7									CAP, Fuel Filler
	4763 684AB	1			29				Monza Metal Base
	4848 132	1							Non-Locking
8									SCREW, [.190-16x1.00], (NOT
									SERVICED) (Not Serviced)
9									TUBE, Fuel, Tank Filler (Reference
									Only), (NOT SERVICED) (Not
									Serviced)
10	6102 004	4			29				SCREW, CAP, M8x1.25x26.8, M8X1.
									25X26.8
11	5245 877	1			29				SEAL, Truck Closeout, Trunk
									Closeout to Roof Filler
12	5245 665	1			29				SEAL, Fuel Filler
13	4643 885	1			27				SEAL, Fuel Filler Flange, Fuel Filler
14	4763 476	1			27				SHIELD, Fuel Filler Door, Fuel Filler
									Paint Chip
15	5245 856	1			29				TUBE, Drain, Fuel Filler Pocket
16	4763 684AB	1			29				CAP, Fuel Filler

 DODGE CHRYSLER VIPER (SR)

 SERIES
 LINE


 S = RT/10
 D = Dod

 S = GTS Coupe
 X = GTS/Lemans

D = Dodge

BODY 27 = Convertible 29 = Coupe ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas

Rear Shelf Panel Viper, Coupe Figure SSR-1410



1 4883 764AA 1 29 PANEL, Rear Body, Service Dealer Paint -2 4883 765AA- 1 29 COVER, Rear, Rear Closure Licens Lamp (Service Dealer Paint) -3 4848 560 1 29 Lamp (Service Dealer Paint) -4 4763 881 1 29 Lamp (Service Dealer Paint) -5 6504 920AA- 3 29 SCREW, M6x1x20, Rear Closure Panel Mounting	ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Paint COVER, Rear, Rear Closure Licens Lamp (Service Dealer Paint) COVER, Lamp 4848 560 1 29 4886 071AA- 1 29 Lamp (Service Dealer Paint) -4 4763 881 1 29 ISOLATOR, Roof to Rear Closure Panel, Roof to Rear Closure Panel, Roof to Rear Closure Panel, Roof to Rear Closure Panel		4000 70444				00				DANEL D. D. L. O. : D. L.
-2 4883 765AA- 1 29 COVER, Rear, Rear Closure Licens Lamp (Service Dealer Paint) -3 COVER, Lamp 4848 560 1 29 4886 071AA- 1 29 -4 4763 881 1 29 -5 6504 920AA- 3 29 COVER, Rear, Rear Closure Licens Lamp (Service Dealer Paint) COVER, Rear, Rear Closure Licens Lamp (Service Dealer Paint) 1 29 ISOLATOR, Roof to Rear Closure Panel, Roof to Rear Closure Panel -5 6504 920AA- 3 29 SCREW, M6x1x20, Rear Closure	1	4883 764AA	1			29				
4848 560 1 29 4886 071AA- 1 29 Lamp (Service Dealer Paint) -4 4763 881 1 29 ISOLATOR, Roof to Rear Closure Panel, Roof to Rear Closure Panel -5 6504 920AA- 3 29 SCREW, M6x1x20, Rear Closure	-2	4883 765AA-	1			29				COVER, Rear, Rear Closure Licens
4886 071AA- 1 29 Lamp (Service Dealer Paint) -4 4763 881 1 29 ISOLATOR, Roof to Rear Closure Panel, Roof to Rear Closure Panel -5 6504 920AA- 3 29 SCREW, M6x1x20, Rear Closure	-3									COVER, Lamp
-4 4763 881 1 29 ISOLATOR, Roof to Rear Closure Panel, Roof to Rear Closure Panel, Roof to Rear Closure Panel -5 6504 920AA- 3 29 SCREW, M6x1x20, Rear Closure		4848 560	1			29				
Panel, Roof to Rear Closure Panel SCREW, M6x1x20, Rear Closure SCREW, M6x1x20, Rear Closure		4886 071AA-	1			29				Lamp (Service Dealer Paint)
	-4	4763 881	1			29				
Panel Mounting	-5	6504 920AA-	3			29				SCREW, M6x1x20, Rear Closure
										Panel Mounting

DODGE CHRYSLER VIPER (SR)
SERIES LINE
S = RT/10 D = Dod
S = GTS Coupe
X = GTS/Lemans

D = Dodge

BODY

27 = Convertible 29 = Coupe

ENGINE EWB = 8.0L 10 Cyl. SFI EW0 = All 8.0L Gas